

Five-Year Review Report

Second Five-Year Review Report for Arkansas City Dump Site Arkansas City, Kansas

August 2002

Prepared By:
Kansas Department of Health and Environment
Bureau of Environmental Remediation
Topeka, Kansas

Approved by:

Date:

Michael J. Sanderson

Director

Superfund Division

9-24-02

40260806

SUPERFUND RECORDS

Table of Contents

	f Acronyms iii
Execu	tive Summary iv
Five-	Year Summary Form
1.	Introduction
11.	Site Chronology
III.	Background
	Physical Characteristics
	Land and Resource Use
	History of Contamination
	Initial Response 4
	Basis for Taking Action
IV.	Remedial Actions 4
	Remedy Selection4
	Remedy Implementation 5
	System Operation/Operation and Maintenance
v.	Progress Since Last 5-Year Review
VI.	Five-Year Review Process 5
	Administrative Components5
	Community Involvement
	Document Review
	Data Review
	Site Inspection
	Interviews
VII.	Technical Assessment
	Question A: Is the Remedy Functioning as intended by the
	decision documents?
	Question B: Are the exposure assumptions, toxicity data,
	cleanup levels, and remedial action objectives (RAOs)
	used at the time of the remedy still valid?
	Question C: Has any other information come to light that could
	Call into question the protectiveness of the remedy? 8

	Technical Assessment Summary			
VIII.	Issues 8			
IX.	Recommendations and Follow-up Actions 8			
X.	Protectiveness Statement			
XI.	Next Review9			
Tables				
	1 - Results of Surface Water Analysis 2 - Results of Soil Analysis			
Figure	es ·			
Figure Figure Figure	 Site Location Map Site Area Map Historic Features Map Soil Treatment Areas Five-Year Review Surface Water and Soil Sampling Locations 			
Appen	dices			
Appendix A - KDHE Public Information Office News Release Record Appendix B - Five-Year Review Site Inspection Checklist Appendix C - Soil Boring Logs Appendix D - Kansas Department of Health and Environment Laboratory Chain-of-Custody Forms Appendix E - Kansas Department of Health and Environment Laboratory Reports-of-Analysis				

List of Acronyms

CERCLA Comprehensive Environmental Response Compensation and Liability Act

EPA U.S. Environmental Protection Agency
ESD Explanation of Significant Difference

FY Fiscal Year

KDHE/BER Kansas Department of Health and Environment/Bureau of Environmental Remediation

KDHEL Kansas Department of Health and Environment Laboratories

NCP National Oil and Hazardous Substances Pollution Contingency Plan

NPL National Priority List

OU Operable Unit

pH Power of hydrogen (negative log base 10 of the hydrogen ion concentration)

RA Remedial Action

RAOs Remedial Action Objectives

RCRA Resource Conservation and Recovery Act

ROD Record of Decision

SARA Superfund Amendment Reauthorization Act

SSC State Superfund Contract

Executive Summary

The remedy for the Arkansas City Dump Superfund Site in Arkansas City, Kansas called for neutralization and stabilization of acid waste, covering the treated waste with a vegetative cap, and using institutional controls to prevent future disturbance of the waste. The site achieved construction completion on September 8, 1992. The first 5-year review report was signed by the EPA Superfund Division Director, Michael J. Sanderson, on August 22, 1997. This second 5-year review was initiated for completion within five years of the first 5-year review.

That assessment is that the remedy was constructed in accordance with the requirements of the Record of Decision (ROD). A second Record of Decision was issued to express the determination that the remedy expressed in the ROD for Operable Unit 1 (OU 1) was sufficient to provide protectiveness for the entire site and no additional actions were required. Threats relative to CERCLA appear to have been remediated, although refinery-related waste has been left in place at the site. The site has been removed from the National Priority List (NPL). This document recommends that a third five-year review be completed in 2007. If after the third five-year review, and confirmation through sampling that the acid waste is neutralized, it may be recommended that no additional 5-year reviews be conducted.

5-Year Review Summary Form

SITE IDENTIFICATION				
Site name (fror	m WasteLAN): Arka	ansas City Dump		
EPA ID (from	WasteLAN): KSD98	80500789		
Region: 7 S	State: KS	City/County: Arkansas City/Cowley		
)		SITE STATUS		
NPL status:	FinalX_Delete	tedOther (specify)		
Remediation status	s (choose all that apply)	Under ConstructionOperatingX Complete		
Multiple OUs?	YES XNO	Construction Completion Date 9/08/1992		
Has site been p	out into reuseYI	ES X NO		
		REVIEW STATUS		
Lead agency: _	EPA X State	TribeOther Federal Agency		
Author name: I	Robert J. Weber	·		
Author title: Er	nvironmental Geolog	Author affiliation: Kansas Dept. of Health and Env		
Review Period	: May 2002 to Augus	st 2002		
Date(s) of site	inspection: 5/1/02 ar	and 7/3/02		
Type of review: X_Post SARAPre-SARANPL-Removal OnlyNon-NPL Remedial Action SiteNPL State/Tribe-lead Regional Discretion				
Review numbe	er:1 (first)X2	2 (second)3 (third)Other (specify)		
Triggering Action:				
Actual RA On-site Construction at OU # Actual RA Start at OU# Construction CompletionX Previous Five-Year Review Report Other (specify)				
Triggering action date(from WasteLAN) <u>8/22/1997</u>				
Due date (five years after triggering action date): 8/22/2002				

Five-Year Review Summary Form, cont'd.

Issues:

No issues are present at the site. The site is well maintained and all posting is in place. The cover appears to be in good condition. A gravel drive that was present on as-built drawings is located over a portion of the northern cover, but no settling has been observed. The site has been moved and is unused.

Recommendations and Follow-up Actions:

Hazards at this site have been remediated. There are still remaining solid waste issues with the material buried at the site. The city, in coordination with the state, will continue to monitor this as it would any other non-hazardous solid waste landfill. The city's restrictions currently in place will enable the city to deal with any continuing aesthetic or non-hazardous solid waste issues. Any future use of the site should be compatible with these issues. KDHE/BER will issue the city a letter transmitting these conclusions and recommendations and attach a copy of this Five-Year Review Report.

Given the waste remaining in place, KDHE/BER recommends an additional Five-Year Review. At the time of the future Five-Year Review and assuming that the waste is confirmed to be neutralized, a determination can be made whether or not to discontinue future Five-Year Reviews.

Protectiveness Statement(s):

Immediate threats at the site have been addressed and the remedy is protective of human health and the environment. The acid hazardous waste has been neutralized via the remedial action. No additional threat from CERCLA hazardous wastes is known to be present.

Long-term Protectiveness:

The long-term protectiveness of the Remedial Action was demonstrated during the previous Five-Year Review. Conditions have not changed and the site remains protective and there are no foreseeable conditions that will result in the Remedial Action failing. Remedial action objectives have been achieved and the long-term protectiveness of the site is assured.

Other Comments:

No other comments required.

Arkansas City Dump Superfund Site Arkansas City, Kansas Second/Final Five-Year Review Report

I. Introduction

The purpose of the Five-Year Review is to determine whether the remedy at a site is protective of human health and the environment. The methods, findings, and conclusions of reviews are documented in Five-Year Review reports. In addition, Five-Year Review reports identify issues found during the review, if any, and identify recommendations to address them.

This Five-Year Review report is prepared pursuant to CERCLA §121 and the National Contingency Plan (NCP). CERCLA §121 states:

If the President selects a remedial action that results in any hazardous substances, pollutants, or contaminants remaining at the site, the President shall review such remedial action no less often than each five years after the initiation of such remedial action to assure that human health and the environment are being protected by the remedial action being implemented. In addition, if upon such review it is the judgement of the President that action is appropriate at such site in accordance with section [104] or [106], the President shall take or require such action. The President shall report to the Congress a list of facilities for which such review is required, the results of all such reviews.

The U.S. Environmental Protection Agency (EPA) interpreted this requirement further in the NCP; 40 CFR §300.430(f)(4)(ii) states:

If a remedial action is selected that results in hazardous substances, pollutants, or contaminants remaining at the site above levels that allow for unlimited use and unrestricted exposure, the lead agency shall review such action no less often than every five years after the initiation of the selected remedial action.

In coordination with EPA, the Kansas Department of Health and Environment/Bureau of Environmental Remediation (KDHE/BER) conducted the second Five-Year Review of the remedy implemented at the Arkansas City Dump Superfund Site in Arkansas City, Kansas. This review was conducted by the state's project manager for the site from May through July 2002. This report documents the results of the review.

This is the second Five-Year Review of the Arkansas City Dump Site. The triggering action for this statutory review is the date of the previous Five-Year Review dated August 22, 1997.

II. Site Chronology

A chronology of site events is presented below in tabular format.

Event	Date
Milliken Company operated Oil Refinery on site	1916-1925
Fire destroyed much of the refinery	1925
Others continued using the refinery and cracking plant	1925-1931
Unregulated disposal of domestic and solid waste intermittently	1931-1981
Site proposed for NPL	12/30/1982
Final listing on NPL	09/08/1983
First Remedial Investigation completed	04/01/1983
Second Remedial Investigation completed	08/30/1986
Record of Decision OU 1	09/29/1988
Proposed Plan document prepared for OU 2 ROD	08/04/1989
Record of Decision OU 2 Final Decision	09/21/1989
Remedial Design complete	09/10/1991
Remedial Action commences	09/10/1991
Award of Contract 09/10/1991 - Start of Remedial Action -5 year review trigger	09/10/1991
RA physical construction completed	08/12/1992
Pre-Final Inspection	08/19/1992
Close Out Report signed (Construction Completion Achieved)	09/08/1992
Site Deleted from NPL	03/01/1996
First Five-Year Review Completed	08/22/1997

III. Background

Physical Characteristics

The Arkansas City Dump site consists of approximately 200 acres. Only an area of approximately three acres required treatment. The site is in the western portion of Arkansas City, Kansas adjacent to the Arkansas River and Highway 166 (also known as Madison Street). Figures 1 and 2 present the location of the site. Arkansas City is a city of about 12,500 residents located in Cowley County. Most of the site and all of the portion where remediation was required is located south of Madison Street. A small deposit of sludge that was not acidic and did not require treatment was found beneath the surface immediately north of Madison Street, also adjacent to the river. The land that contains the treated soil is owned by Sybrant Warehouse and the City of Arkansas City.

Land and Resource Use

From 1916 to 1931 the primary use of the site was as an oil refinery and cracking plant. From 1931 to 1981 the site was generally abandoned and the major activity was unregulated dumping of domestic and solid waste. Figure 3 presents the general historic features of the site. Some small businesses have occupied portions of the site but the remediated waste cells occupy portions of the site that have not been used since the abandonment. Superfund regulated waste was treated during the remedial action. Figure 4 presents the areas of treated waste. Petroleum products remain at the site but these are excluded from the regulatory authority of CERCLA. The cells where the acid waste was neutralized, *i.e.* where the remedial action took place, are covered with a vegetative cap and clearly posted with signs.

The acid waste subject to CERCLA authorities has been remediated. Groundwater was not a CERCLA issue at this site. Petroleum products in soil and groundwater within the site area, if determined to pose a threat to human health and the environment, may be addressed by a state program.

History of Contamination

The oil refinery operations at the Arkansas City Dump site resulted in two principal waste types. Only one of these waste types was subject to the CERCLA regulations the other relates to petroleum products which are specifically excluded from the CERCLA authority. The refining operations generated acidic sludge wastes, which were buried on the site, or simply abandoned at the ground surface. Some of the wastes were acidic enough to be classified as hazardous wastes because of their low pH under the Resource Conservation And Recovery Act (RCRA). Also, some of these waste are also identified as process hazardous wastes under RCRA. The Superfund remedial action addressed these types of releases.

Initial Response

Only one response action was undertaken at this site. The original plan was to initiate action to stabilize the acidic sludge under Operable Unit 1 (OU 1) and develop a final remedy to address all issues at the site under Operable Unit 2 (OU 2). Once the initial action (OU 1) was completed it was determined that no action would be required for OU 2, therefore OU 2 was a no action Record of Decision.

Basis for Taking Action

The sole basis for taking action at this site under CERCLA authorities was that the wastes on site were acidic enough to be classified as hazardous wastes because of their low pH under RCRA. Exposures to soil from the site were associated with a risk due to the low pH of the acidic waste buried at the site. Other risks at the site were due to substances falling under the *petroleum exclusion* of CERCLA/SARA.

IV. Remedial Actions

Remedy Selection

The remedy for the site was selected in the Record of Decision (ROD) signed on 9/29/88 by the EPA Regional Administrator, Morris Kay. An Explanation of Significant Difference (ESD) for the first ROD was implemented to accommodate a technical difficulty in executing the original ROD. This did not affect the remedy or the outcome of the remedy only the technical and physical means of implementation. A subsequent Record of Decision for the remainder of the site, signed on 9/19/89, was a no action ROD. The determination that no additional action was required was based on the limited authority under CERCLA/SARA to deal with contaminants designated under the *petroleum exclusion*. Thus the OU 1 remedial action is the only action that is to be involved with the five-year review. The 1988 ROD did not specifically state the Remedial Action Objectives, but from context they are as follows:

- Neutralize acid sludge to render the sludge non-hazardous.
- Use a technique for neutralizing sludge to minimize or eliminate the release of sulfur dioxide gas.
- Cover treated sludge to prevent any contact with neutralized sludge in the case some hazard remains as a result of incomplete neutralization.
- Initiate institutional controls that prohibit actions that would impact the neutralized sludge in the future.

The institutional controls were initially required to ensure that the treated material was not disturbed. Additional study of the remainder of the site to determine if there was other CERCLA waste that required

treatment made it prudent to restrict access. As it turned out later, the determination was made that there was no other CERCLA waste other than the acidic sludge. The institutional controls were not immediately lifted in order to ensure that all of the CERCLA waste had been neutralized. Investigations completed during the first five-year review demonstrated that CERCLA waste had been neutralized.

Remedy Implementation

This was an EPA fund-lead site. Once the execution of the site-specific State Superfund Contract (SSC) for the site was complete, the action was initiated. The SSC was completed on September 23, 1991. Remedial action began in December of 1992. The selected remedy incorporated exposing small portions of the acid sludge and mixing a strong base, lime, with the sludge to neutralize the sludge. After mixing the sludge was then covered and a new quantity of acid sludge was exposed for neutralization. This process greatly reduced the amount of sulfur dioxide released to the atmosphere and thus improved the quality from not only a health perspective but from an aesthetic one as well. Once the acidic sludge was neutralized, a cover to allow vegetation was placed over the treated area.

System Operation/Operation and Maintenance

There has been no need for an ongoing Operations and Maintenance function other than mowing and inspection of the cover. The city has maintained the site under an agreement with the State of Kansas.

V. Progress Since Last Five-Year Review

Since the last five-year review, the site has been deleted from the NPL. The cover remains effective, there is no evidence that there has been any change in the site since the last five-year review, and the institutional controls are still intact. No additional activity has been performed at the site.

VI. Five-Year Review Process

Administrative Component

In the Spring of FY 2002 the site was reassigned to Robert J. Weber of KDHE/BER, with the sole purpose of ensuring that the upcoming Five-Year Review was completed. The Five-Year Review was initiated with a file review and site visits on May 1 and July 3, 2002 and was completed with the signing of the five-year review report with a signature page attached to this report.

Community Involvement

A notice was submitted by the KDHE Public Information Office on June 28, 2002 to Sedgwick and Cowley County media including the Associated Press, the Harris News Service, the Kansas Information Network/WIBW Radio, and the Mid-America News Network. The local newspaper, The

Arkansas City Traveler, published the notice on July 1, 2002. The community was notified that a Five-Year review was being conducted for the Arkansas City Dump. A brief description and location of the site along with work to be performed was provided. Contact information was provided should any community members wish to obtain more information or participate in the Five-Year Review. A copy of the notice is attached as Appendix A.

Document Review

Documents reviewed for this Five-Year Review by EPA and KDHE/BER included the ROD for OU1, the No Action ROD for OU2, the previous five-year review report, and the NPL deletion package for the site.

Data Review

No new data has been developed since the last Five-Year Review. Previous file data was reviewed to determine whether there was reason to believe that additional data was required. It was determined that the data at hand were sufficient.

Site Inspection

Site inspections were carried out on May 1 and July 3, 2002. A copy of the Five-Year Review Site Inspection Checklist is attached as Appendix B. During the first site inspection on May 1, 2002, the project manager visited the site to get a general overview of the location and determine the condition of the cover as well as the activities on and around the site. The site cover was intact and vegetated, with no evidence of significant erosion. The site remains unoccupied. There does not appear to be any immediate likelihood for the site or its immediate area to undergo any significant land use change in the foreseeable future. There is no evidence that any of the institutional controls for the site have been violated. A second site inspection visit was performed on July 3, 2002 during soil sampling activities. The second site inspection confirmed the observations of the first site inspection.

During the first site visit, surface water samples were collected for onsite pH analysis. Whatman pH test strips were immersed in the surface water for one minute. The test strips were then removed and compared to a colorimetric slide for the appropriate pH value. Figure 5 presents the locations of surface water sampling. The pH analysis results were 7 for each sample collected. Table 1 presents the results of surface water onsite analysis. Each location was sampled twice to confirm the previous result. Based on the results in Table 1, no acidic surface waters were observed onsite.

During the second site visit, soil samples were collected for offsite laboratory analysis. A KDHE/BER Geoprobe 5400 drilling rig was used to advance a four-foot Macro core sampler with a single-use disposable acetate sample liner into the treated waste. The vertical soil profile was visually logged from ground surface to the total depth, 12 feet, of each boring. Soil boring logs are provided in

Appendix C. Upon completion of soil sampling activities, soil borings were plugged with bentonite. Soil samples were collected from the four-to-five-foot depth interval and the nine-to-ten-foot depth interval. Samples were transferred from the acetate sample liner into laboratory-provided containers. The containers were labeled, placed into individual plastic bags, stored in a cooler with ice, and delivered to KDHE Laboratories (KDHEL) on the same day under chain-of-custody protocol. Copies of the KDHEL chain-of-custody forms are provided in Appendix D. The results of pH soil analysis indicate that the remedy is performing as designed. Values of pH in soil ranged from 6.30 to 12.47. RCRA guidelines consider wastes that have pH values of less than 2 or greater than 12.5 to be corrosive and hazardous. No samples collected for pH analyses exceeded these ranges. Table 2 and Appendix E present the results of soil pH analysis.

Interviews

During the site inspections, the project manager interviewed city employees. There was general agreement that the site had remained undisturbed. They also indicated that the site would not be subject to pressure for use change in the near future. The community as a whole is not in a cycle of growth and there are additional more desirable lands for development if the trend shifts towards the positive.

VII. Technical Assessment

Question A: Is the remedy functioning as intended by the decision documents?

The neutralization of the acid sludge prescribed in the ROD for OU 1 was accomplished at the time of the remedial action. No additional activity was/is necessary to treat that contaminant/hazard. The ROD for OU 2 called for no additional action. The institutional controls were established in OU 1 until the actions expected to be prescribed in OU 2 could be implemented. The ROD for OU 2 called for no further action, however the institutional controls are still in place and functioning,.

Since no additional action is required at this site there is no opportunity for system optimization.

Question B: Are the exposure assumptions, toxicity data, cleanup levels, and remedial action objectives (RAOs) used at the time of the remedy selection still valid?

There have been no changes in the physical conditions at the site that would affect the protectiveness of the remedy. Nor have there been any changes in the relative standards, exposure pathways, toxicity or other contaminant characteristics that would change the decisions previously made.

Question C: Has any other information come to light that could call into question the protectiveness of the remedy?

There has not been any information that has come to light that would call into question the protectiveness of the remedy.

Technical Assessment Summary

Based on the data reviewed, the site inspections, and interviews, the remedy is functioning as intended in the ROD. There have been no changes to the site that would affect the protectiveness of the remedy. There is no other information that calls into question the protectiveness of the remedy.

VIII. Issues

There are no issues concerning this remedy.

IX. Recommendations and Follow-Up Actions

KDHE/BER recommends performing an additional Five-Year Review prior to discontinuing the Five-Year Review process at the site. At the time of the future Five-Year Review, if no new findings are presented that determine the site to be unprotective of human health and the environment, the site will be proposed to be removed from the Five-Year Review process. This decision will be based on the continued validity of the following findings.

- No CERCLA hazardous substance remains at this site
- The site has been de-listed from the NPL
- Previous five-year review has not identified any potential for adverse effect on the public health or the environment, due to any contaminant subject to CERCLA authority.
- Current Five-Year Review has similar findings to previous Five-Year Review

KDHE/BER recommends that City of Arkansas City retain institutional controls at site. This recommendation is based on the following.

- Solid waste is buried at the site
 - Disturbing solid waste may result in odor problems
 - Disturbing solid waste may result in aesthetic problems
 - There may be some unknown hazardous components to the solid waste
- Some petroleum product waste is most likely still present
 - Currently contained contaminants may be mobilized by disturbance
 - Odor problems may result from disturbance

- Change in situation may result in greater infiltration
- Disruption of cap may result in a change of conditions that will disturb the natural attenuation process currently containing petroleum products on site.

X. Protectiveness Statement

The remedy is protective of human health and the environment. No CERCLA regulated contaminants are known to remain on site. The threats that can be addressed by CERCLA have been removed and the RAOs have been met. No additional action is required. Therefore; "Because the remededial actions at all OUs are protective, the site is protective of human health and the environment."

XI. Next Review

The next Five-Year Review is to be completed five years after the signature date of this five year review.

TABLES

Table 1

Results of Surface Water Analysis Second Five-Year Review Arkansas City Dump/Old Milliken Refinery 1409 W. Madison Street (Northern Waste Pit) and City Property Immediately South (Visible Waste Area) Arkansas City, Kansas

by

The Kansas Department of Health and Environment/Bureau of Environmental Remediation 1000 SW Jackson Street, Suite 410, Topeka, Kansas 66612-1367

for
The U.S. Environmental Protection Agency, Region VII
901 North 5th Street, Kansas City, Kansas 66101

Page 1 of 1

Sample Identification	Onsite Analysis (repeated two times each)	
	pH (negative log base 10 of the hydrogen ion concentration (H ⁺)) unitless	
Whatman pH Test Strip Colorimetric Method	•	
Culvert #4 (North-South Concrete Drainage Tube)	7	
Culvert #5 (East-West Concrete Drainage Tube)	7	
Concrete-Paved Ditch Rip-Rap Outfall	7	
Southwest Runoff Collection/Settling Pond	7	

Table 2

Results of Soil Analysis Second Five-Year Review Arkansas City Dump/Old Milliken Refinery 1409 W. Madison Street (Northern Waste Pit) and City Property Immediately South (Visible Waste Area) Arkansas City, Kansas

by

The Kansas Department of Health and Environment/Bureau of Environmental Remediation 1000 SW Jackson Street, Suite 410, Topeka, Kansas 66612-1367

for The U.S. Environmental Protection Agency, Region VII 901 North 5th Street, Kansas City, Kansas 66101

Page 1 of 1

Sample Identification	Offsite Laboratory Analysis			
•	pH (negative log base 10 of the hydrogen ion concentration (H ⁺)) unitless			
EPA Method SW-846 9040				
B-1 (4-5')	8.16			
B-1D (14-15') duplicate of B-1 (4-5')	8.10			
B-1 (9-10')	8.77			
B-2 (4-5')	12.41			
B-2 (9-10')	6.30			
B-3 (4-5')	12.44			
B-3D (14-15') duplicate of B-3 (4-5')	12.39			
B-3 (9-10')	12.39			
B-4 (4-5')	8.32			
B-4 (9-10')	12.47			
Quality Assurance/Quality Control Samples by EPA Method 150.1				
Trip Blank-1	6.06			
Rinseate Blank-1	6.00			

FIGURES





Figure 1
Site Location Map



Adapted from:


Figure 3, Location of former oil tanks, waste areas, unvegetated areas, and selected features of Arkansas City waste site (Phase-IIA Remedial Investigation of the Arkansas City Dump Site, Provisional Draft, Volume I, August 1986, Arkansas City, Kansas, U.S. Geological Survey, Lawrence, Kansas)


Scale: Not to Scale (NTS)


FIGURE 3

Historic Site Features Map

Kansas Department of Health and Environment Bureau of Environmental Remediation 1000 SW Jackson, Suite 410, Topeka, Kansas 66612







APPENDICES

APPENDIX A

KDHE Public Information Office News Release Record

Topic: KDHEP	erforms Five-Year Assessment of Site	File Number: 02
Author: Mike		Date: June 28, 2002
Approvals:	Mike Heideman Originator Director <u>Ron Hammerschmidt</u> Secretary Graeber/Sharon Patr	, Rob Weber
Courtesy Co	Dpies: Originator x Bureau Director Gary Blackle x Division Director Ron Hamme x District Office(s) (IDs) 731 Local Health Dept(s) x Legal Office x Secretary Graeber x 733 Governor's Office Other Other	<u>purn</u> rschmidt
Media: Environme	Fax to Sedgwick and Cowley C x 409 Associated Press (when make the second Crupper, Harris News Second English 1997) x 277 Kansas Information Network x 414 Mid-America News Network 2ntol (always send to these media on en	ailed) Service (when mailed) k/WIBW Radio (when mailed) (when mailed) vironmental releases):
	PA Public Affairs	639 R.P. Publishing nursina home releases):

154 Ranney, LJW (all attachments)	736 LTC Ombudeman's Office
738 Dept. on Aging	651 KABC
653 KAHSA	655 KHCA

.

Clyde D. Graeber, Secretary

For Immediate Release June 28, 2002

Contact: Rob Weber, Project Manager 785-296-8801

KDHE Performs Five-Year Review of Former Refinery Site

The Kansas Department of Health and Environment (KDHE) has begun a five-year environmental review at the site of the former Arkansas City Dump Site/Old Milliken Refinery. The site is located east of the Arkansas River and both north and south of Madison Ave. in Arkansas City.

"This type of review determines if a previous cleanup is still performing as designed," said Environmental Geologist Rob Weber, KDHE project manager for the site. "The focus of this five-year review will be an area of treated soil at 1409 S. Madison Ave. and city property located immediately to the south. In 1992, the EPA neutralized acidic sludge from the former petroleum refinery with cement kiln dust, and then placed it into two containment areas. These areas were then capped with clay soil and seeded with grass."

The areas have been maintained with signs and regular mowing of the grass cover since completion in 1992. The first five-year review performed for the site in 1997 by KDHE concluded that no acidic sludge was present. Weber stated that KDHE anticipates completing this second five-year review by August 22, with soil drilling activities to be completed in July.

For information regarding the five-year review process and how to participate, please contact Rob Weber, KDHE project manager, at (785) 296-8801 or rweber@kdhe.state.ks.us.

C:\TEMP\C.Notes.Data\02-132.wpd

www.kdhe.state.ks.us

pio@kdhe.state.ks.us

APPENDIX B

Please note that "O&M" is referred to throughout this checklist. At sites where Long-Term Response Actions are in progress, O&M activities may be referred to as "system operations" since these sites are not considered to be in the O&M phase while being remediated under the Superfund program.

Five-Year Review Site Inspection Checklist (Template)

(Working document for site inspection. Information may be completed by hand and attached to the Five-Year Review report as supporting documentation of site status. "N/A" refers to "not applicable.")

I. SITE INFORMATION 5/1/07 AND					
Site name: Ackanishs Gty Dum	Date of inspection: 7/3/02				
Location and Region: Actass (4) (Coron II	EPA ID: KSD 980 500 789				
Agency, office, or company leading the five-year review: KDHE/BER	Weather/temperature: Clearts overcast & &F.				
Access controls	Monitored natural attenuation Groundwater containment Vertical barrier walls				
Attachments: Inspection team roster attached	Site map attached				
II. INTERVIEWS	(Check all that apply)				
1. O&M site manager CURT FREGLAND GTT MANAGER 5/1/02 Name Title Date Interviewed at site at office by phone Phone no. 630 - 441 - 4415 Problems, suggestions; Report attached NO PROBLEMS WIGGET TOGATAGEN					
2. O&M staff GART BANGHER CIT Name Interviewed at site at office by phone Phone Problems, suggestions; Report attached NO Pt	TEMPLOYEC 5/1/6) Title Date e no. DRIEMS WERE TREATFIELD				

response office, police department, office of pure recorder of deeds, or other city and county office. Agency Contact	es, etc.) Fill in all t		oning office,
Name Problems; suggestions; Report attached	Title	Date	Phone no.
Agency			
Name Problems; suggestions; Report attached	Title	Date	Phone no.
Agency			
Name Problems; suggestions; Report attached	Title	Date	Phone no.
Agency			
Name Problems; suggestions; Report attached	Title	Date	Phone no.
Other interviews (optional) Report attached	· · · · · · · · · · · · · · · · · · ·		
N/A			
	· · · · · · · · · · · · · · · · · · ·		,
	· · · · · · · · · · · · · · · · · · ·	<u> </u>	
·	·	· ·-· ·	

O&M Documents O&M manual	CORDS VERIFIED (C	check all that appl	y)
•			
As-built drawings Maintenance logs Remarks	Readily available Readily available Readily available	Up to date Up to date Up to date	N/A N/A N/A
Remarks		Up to date Up to date	N/A N/A
O&M and OSHA Training Records Remarks	Readily available	Up to date	N/A
Permits and Service Agreements Air discharge permit Effluent discharge Waste disposal, POTW Other permits Remarks	Readily available Readily available Readily available Readily available	Up to date	
		date N/A)
		Up to date	N/A
	Readily available	Up to date	N/A
Leachate Extraction Records Remarks	Readily available	Up to date	N/A
	Readily available Readily available	Up to date Up to date	N/A N/A
Daily Access/Security Logs Remarks	Readily available	Up to date	(N/A)
	Contingency plan/emergency response plan Remarks O&M and OSHA Training Records Remarks Permits and Service Agreements Air discharge permit Effluent discharge Waste disposal, POTW Other permits Remarks Cas Generation Records Remarks Settlement Monument Records Remarks Groundwater Monitoring Records Remarks Leachate Extraction Records Remarks Discharge Compliance Records Air Water (effluent) Remarks Daily Access/Security Logs	Contingency plan/emergency response plan Remarks O&M and OSHA Training Records Remarks Permits and Service Agreements Air discharge permit Effluent discharge Readily available Waste disposal, POTW Other permits Readily available Remarks Gas Generation Records Remarks Settlement Monument Records Remarks Groundwater Monitoring Records Remarks Leachate Extraction Records Remarks Discharge Compliance Records Air Readily available	Contingency plan/emergency response plan Remarks O&M and OSHA Training Records Remarks Permits and Service Agreements Air discharge permit Effluent discharge Readily available Effluent discharge Waste disposal, POTW Other permits Remarks Gas Generation Records Remarks Settlement Monument Records Remarks Settlement Monument Records Remarks Croundwater Monitoring Records Remarks Leachate Extraction Records Remarks Discharge Compliance Records Air Water (effluent) Remarks Daily Access/Security Logs Readily available Readily available Up to date

	IV. O&M COSTS						
1.	O&M Organiza State in-house PRP in-house Federal Facilit Other CIT	y in-house	Contractor for State Contractor for PRP Contractor for Federa	l Facility			
2.	2. O&M Cost Records P/A Readily available Up to date Funding mechanism/agreement in place Original O&M cost estimate Breakdown attached Total annual cost by year for review period if available						
	From Date From Date From Date From Date From Date From Date		Total cost Total cost Total cost Total cost Total cost	Breakdown attached Breakdown attached Breakdown attached Breakdown attached Breakdown attached			
3.	Describe costs an	d reasons: PA	D&M Costs During Re				
A. Fencing							
1.	Fencing damage Romarks	d Locatio	n shown on site map	Gates secured	N/A		
B. Other Access Restrictions							
Ι.	Remarks 516K	security measures OS ARE POSTES OF TREATORD A) AND MAINTAIN	wn on site map N/A			

C. Institutional Controls (ICs)	
1.	Implementation and enforcement Site conditions imply ICs not properly implemented Site conditions imply ICs not being fully enforced Yes No N/A N/A
	Type of monitoring (e.g., self-reporting, drive by) Frequency
! :	Responsible party/agency GTY of ARKANSUS GTY
ł	Contact CURT FREELAND CITYMANAGOR 5/1/02
	Name Title Date Phone no.
	Reporting is up-to-date Reports are verified by the lead agency Yes No N/A Yes No N/A
	Specific requirements in deed or decision documents have been met Yes No N/A Violations have been reported Other problems or suggestions: Report attached
	P ₁ × ···
2.	Adequacy ICs are adequate ICs are inadequate N/A Remarks
D. General	
1.	Vandalism/trespassing Location shown on site map No vandalism evident Remarks
2.	Land use changes on site N/A Remarks
	Land use changes off site N/A Remarks
VI. GENERAL SITE CONDITIONS	
A. Roac	ls Applicable N/A
	Roads damaged Location shown on site map Roads adequate N/A Remarks

	
	Remarks P N
	VII. LANDFILL COVERS Applicable N/A
A. L	andfill Surface
1.	Settlement (Low spots) Areal extent Remarks Location shown on site map Settlement not evident Remarks
2.	Cracks Location shown on site map Cracking not evident Lengths Depths Remarks
3.	Erosion Location shown on site map Erosion not evident Areal extent Depth Remarks
4.	Holes Location shown on site map Holes not evident Areal extent Depth Remarks
5.	Vegetative Cover Grass Cover properly established No signs of stress Trees/Shrubs (indicate size and locations on a diagram) Remarks
6.	Alternative Cover (armored rock, concrete, etc.) Remarks
7.	Bulges Location shown on site map Bulges not evident Areal extent Height Remarks

8.	Wet areas/Water Damage Wet areas/water damage not evident Vet areas Location shown on site map Areal extent Location shown on site map Areal extent Seeps Location shown on site map Areal extent Location shown on site map Areal extent Remarks
9.	Slope Instability Slides Location shown on site map No evidence of slope instability Areal extent Remarks
В.	Benches Applicable N/A (Horizontally constructed mounds of earth placed across a steep landfill side slope to interrupt the slope in order to slow down the velocity of surface runoff and intercept and convey the runoff to a lined channel.)
1.	Flows Bypass Bench Location shown on site map N/A or okay Remarks
2.	Bench Breached Location shown on site map N/A or okay Remarks
3.	Bench Overtopped Location shown on site map Remarks
C.	Letdown Channels Applicable (Channel lined with erosion control mats, riprap, grout bags, or gabions that descend down the steep side slope of the cover and will allow the runoff water collected by the benches to move off of the landfill cover without creating erosion gullies.)
1.	Settlement Location shown on site map No evidence of settlement Areal extent Depth Remarks
2.	Material Degradation Location shown on site map No evidence of degradation Material type Areal extent Remarks
3.	Erosion Location shown on site map No evidence of erosion Areal extent Depth Remarks

4.	Undercutting Location shown on site map No evidence of undercutting Areal extent Depth Remarks
5.	Obstructions Type No obstructions Location shown on site map Areal extent Size Remarks
6.	Excessive Vegetative Growth No evidence of excessive growth Vegetation in channels does not obstruct flow Location shown on site map Remarks
D. Co	ver Penetrations Applicable N/A
1.	Properly secured/locked Functioning Routinely sampled Good condition Evidence of leakage at penetration Needs Maintenance NA Remarks
2.	Gas Monitoring Probes Properly secured/locked Functioning Routinely sampled Good condition Evidence of leakage at penetration Needs Maintenance N/A Remarks
3.	Monitoring Wells (within surface area of landfill) Properly secured/locked Functioning Routinely sampled Good condition Evidence of leakage at penetration Needs Maintenance N/A Remarks
4.	Leachate Extraction Wells Properly secured/locked Functioning Routinely sampled Good condition Evidence of leakage at penetration Needs Maintenance N/A Remarks
5.	Settlement Monuments Located Routinely surveyed N/A Remarks

E.	Gas Collection and Treatment	Applicab	ole (N/A		
1.	Gas Treatment Facilities Flaring Good condition Remarks	Thermal destruction		Collection for re	euse	
2.	Gas Collection Wells, Man Good condition Remarks	ifolds and Piping Needs Maintenand	ce -			
3.	Gas Monitoring Facilities (Good condition Remarks	(e.g., gas monitoring Needs Maintenanc	g of adja	ncent homes or bu N/A	aildings)	
F.	Cover Drainage Layer	Applicabl	le	N/A		
1.	Outlet Pipes Inspected Remarks	Functioni	ing	. N/A		
2.	Outlet Rock Inspected Remarks	Functioni	ing	N/A		
G.	Detention/Sedimentation Ponds	Applicabl		N/A		
1.	Siltation Areal extent	Dep	pth		N/A	
2.	Erosion Areal exter Erosion not evident Remarks	nt	Depth			
3.	Outlet Works Remarks	Functioning N	N/A			
4.	Dam Remarks	Functioning N	N/A .			

H. R	etaining Walls	Applicable	N/A	
1.	Deformations Horizontal displacement Rotational displacement Remarks		Vertical displacer	Deformation not evident ment
2.	Degradation Remarks		vn on site map	Degradation not evident
I. Pe	rimeter Ditches/Off-Site Disc	harge	Applicable	N/A
1.	Siltation Location Areal extent Remarks	Depth_		ot evident
2.	Vegetative Growth (Vegetation does not imperate Areal extent Remarks	Type		N/A
3.	Erosion Areal extentRemarks	Location show Depth	n on site map	Erosion not evident
4.	Discharge Structure (Remarks	Functioning	N/A	
	VIII. VERTI	CAL BARRIE	R WALLS	Applicable N/A
1.	Settlement Areal extent Remarks		·	Settlement not evident
2.	Performance MonitoringT Performance not monitore Frequency_ Head differential_ Remarks	ed		nce of breaching

	IX. GROUNDWATER/SURFACE WATER REMEDIES Applicable
A. Gr	oundwater Extraction Wells, Pumps, and Pipelines Applicable N/A
1.	Pumps, Wellhead Plumbing, and Electrical Good condition All required wells properly operating Needs Maintenance N/A Remarks
2.	Extraction System Pipelines, Valves, Valve Boxes, and Other Appurtenances Good condition Needs Maintenance Remarks
3.	Spare Parts and Equipment Readily available Good condition Requires upgrade Needs to be provided Remarks
B. Su	rface Water Collection Structures, Pumps, and Pipelines Applicable N/A
1.	Collection Structures, Pumps, and Electrical Good condition Needs Maintenance Remarks
2.	Surface Water Collection System Pipelines, Valves, Valve Boxes, and Other Appurtenances Good condition Needs Maintenance Remarks
3.	Spare Parts and Equipment Readily available. Good condition Requires upgrade Needs to be provided Remarks

c.	Treatment System	Applicable	(N/A)		
1.	Treatment Train (Check Metals removal Air stripping Filters Additive (e.g., chelation Others Good condition Sampling ports properly Sampling/maintenance Equipment properly ide Quantity of groundwate Quantity of surface wate Remarks	Oil/w Carbo Needs marked and func log displayed and ntified r treated annually	ater separation on adsorbers) s Maintenance tional up to date		ediation
2.	Electrical Enclosures and N/A Good Remarks	condition	Needs Maintenan	ce	
3.	Tanks, Vaults, Storage V N/A Good Remarks	condition	Proper secondary		Needs Maintenance
4.	Discharge Structure and N/A Good Remarks	condition	Needs Maintenand		
5.	Treatment Building(s) N/A Good Chemicals and equipment Remarks	nt properly stored		. Needs re	epair
6.	Monitoring Wells (pump and properly secured/locked All required wells locate Remarks	Functioning	Routinely sampled	d Good co	ondition N/A
D. N	Ionitoring Data N/A				
1.	Monitoring Data Is routinely sub	mitted on time	Is of acceptab	le quality	
2.	Monitoring data suggests: Groundwater plume is ef	fectively containe	d Contaminant	concentrations ar	e declining

D. Monitored Natural Attenuation
1. Monitoring Wells (natural attenuation remedy) Properly secured/locked Functioning Routinely sampled Good condition All required wells located Needs Maintenance Remarks
x. other remedies ₽/₽
If there are remedies applied at the site which are not covered above, attach an inspection sheet describing the physical nature and condition of any facility associated with the remedy. An example would be soil vapor extraction.
XI. OVERALL OBSERVATIONS
A. Implementation of the Remedy
Describe issues and observations relating to whether the remedy is effective and functioning as designed. Begin with a brief statement of what the remedy is to accomplish (i.e., to contain contaminant plume, minimize infiltration and gas emission, etc.). The penalty is effective and functioning. We eroson or garden some notes on the soil treatment containing the notes on the soil treatment containing the soil of the soil treatment of the soil treatment of the soil of t
B. Adequacy of O&M
Describe issues and observations related to the implementation and scope of O&M procedures. In particular, discuss their relationship to the current and long-term protectiveness of the remedy. The CITY MAINTAINS THE SITE THROUGH REGULAR MOWING. AND WANTAINS THE SITE THROUGH REGULAR MOWING. AND WANTAINS THAT SIGNS REMAIN POSTED. THE CITY HAS PASSUED THAT FINITIONAL CONTROLS ARE ENFORCED.

c.	Early Indicators of Potential Remedy Problems 1/1/14
	Describe issues and observations such as unexpected changes in the cost or scope of O&M or a high frequency of unscheduled repairs, that suggest that the protectiveness of the remedy may be compromised in the future.
D.	Opportunities for Optimization P/A
	Describe possible opportunities for optimization in monitoring tasks or the operation of the remedy.

ARKA SAS CITY SUPERFUND ST. OPERATION AND MAINTENANCE PLAN INSPECTION CHECKLIST

L.O	Genera	al In	oformation: FIVE-YEAR REVIEW JUSPECTION
	1.1	Insp	pector: Robert J. Weber
	1.2	Date	2: 7/3/0 ²
	1.3	Date	of Last Inspection: MAT 1, 2002
2.0		ction	and Maintenance
			•
	2.1	Surf	ace Features
			etative Cover
	ā	a.	Routine Maintenance-Describe Activity:
			Damages Noted From Last Inspection: YesNo
	•		If yes, have they been repaired? YesNo
	(2.	New Damages Noted - Describe:
	2.241 2	C~+	ace Erosion
			Routine Inspection Activity: SITE WALK FOR
	c	1.	FIVE YEAR REVIEW
	ł	٥.	Erosion Noted in Last Inspection: YesNo
			If yes, describe:
		_	
	(Э.	New Erosion Noted (note if the 1% gravel layer is visible):
	2.1.3	Look	for and note evidence of the following items:
	~/p =	ì.	Removal of waste material or hazardous substances left at
	,		the site at the conclusion of the remedial action;
	MA	_	
	<u>-</u>	J.	Transport, disposal, abandonment, or placement of waste material, hazardous substances, or solid waste at the site;
	NA		material, mazardous substances, or sorrd waste at the site,
	- (I)X	Ξ.	Removal or altering of the "No Dumping" signs installed on
	,		site;
	MA	7	Construction of structure, permanent or otherwise, such as
		1.	buildings through the soil cap;
	$\sim /_{10}$		ballangs onlong the boll cap,
•	114	€.	Change or altering of the drainage surface water flow
			patterns onto or from the site;

ARKAN S CITY SUPERFUND SITE OPERATION AND MAINTENANCE PLAN INSPECTION CHECKLIST

(CONTINUED)

DATE: 7/3/62

MA NA NA	f.	Pumping, extracting, or injecting water causing a change in the groundwater level of more than one foot;
MA	g.	Extraction of groundwater for domestic use or consumption or for use in food preparation or handling;
MA	h.	Removal or damage to elevation monuments or monitoring wells left at the site;
		Production of food or crops at the site for human or animal consumption, or production of food or crops using water or soil form the site for human or animal consumption;
MA;	j.	Alteration modification or removal of the vegetative cover installed as part of the remedial action;
MA;	k.	Use of herbicides, pesticides, fertilizers, or other agricultural chemicals which are not approved for use by EPA for the site or the use of products in a manner inconsistent with the label instructions;
NA	1.	Heavy equipment on the site;
N/A	m.	Storage of commercial products or chemicals on the site in quantities other than those which are necessary for the day-to-day operations of any EPA and KDHE approved occupants; and
MA	n.	Dumping of gravel or any small (1-inch or less in diameter) rock onto the site.
0bse <u>w.7</u>	rvati H S	ONS: SITE APPEARS TO BEINAINTAINED IN 6000 CONDITION 6NS POST ARDUND THE PARIMETER.
		N l Robert 5 - Wober 7/3/02
	INSP	ECTOR KOHE/BER DATE

APPENDIX C

		HTW	DRILL	ING L	OG				HOLE NO
1 COMPANY NAME	KDHE/	BER	ĺ	DRILLING SUBC	=1AER				SHEET 1 OF / SHEETS 2
A DKANKAS	CITT DUAL	EVIEW ALD MILLIKE	N REF	N487 14	CATION	SOU	TH OF	PKAN KA	S CITY ICC
5 NAME OF DRILLER	6. M	1 LOCATION SOUTH OF 1409 W. MADISON ARKANSAS CITY ICC 6. MANUFACTURER'S DESIGNATION OF DRILL GEOFROBE 5400							
7 SIZES AND TYPES OF DRILLING GOOFROBE 5400					DLE LOCATION				
AND SAMPLING EQU	L	FORD F-35		9. St	URFACE ELEVATION	CA NO	1.	E WAS	IE AREA
		ALETATELL						11 DATE COL	IDI ETED 7/ /
					DATE STARTED				APLETED 7/3/60
12 OVERBURDEN THI	CKNESS	12'		15 5	EPTH GROUNDW	ATER EN	COUNTERED	A	
3 DEPTH DRILLED IN	TO ROCK	1		16 0	EPTH TO WATER	AND ELA	PSED TIME AFT ≈/A)MPLETEO
4 TOTAL DEPTH OF	HOLE 12			17 (THER WATER LE	VEL MEAS			
B GEOTECHNICAL SA		DISTURBED N/	UND	NSTURBED	19 TOTAL NUM	IBER OF	CORE BOXES	~/A	
O. SAMPLES FOR CHE	<u>`</u>	VOC	META	LS OT	HER (SPECIFY)	OTH	IER (SPECIFY)	OTHER (S	SPECIFY) 21. TOTAL CORE
		N/A	2/0	- 44					RECOVERY %
2. DISPOSITION OF H	OLE	BACKFILLED	MONITORING		HER (SPECIFY)	23. SH	GNATURE OF IN	APECTOR	Robort J. Webor
	T	BENTONITE	^/	A	a Lacarragia			gier -	
ELEV. DEPTH	DE	SCRIPTION OF MATERIALS		RESULTS	NG GEOTECH S OR CORE BO		ANALYTICAL SAMPLE NO.	BLOW COUNTS	REMARKS h
	CAY. S	ome Greamil A	ATTUR	N/A	N/A			NA	STACT: 0825
		0-6!		/	''	`		77	
	BROWN,	noist iun stiff							
,	l	LE SULL							
		Q 3/- C							·
	1.3 L 600	wel cater							Thurs for Interval 04
2-		m SILTICIA	1						0830
	M0151								
	HTORD C	arbonodor.	SLIGHT						
3-		o GRAVEL							
	MADIM	STAT TO STALL							
=====================================						,			
E									
4-	– Same					- ,	, ,		
=	JHINE					t	45		4-8'
=				Unt	LICATES -	, { le	ا س 🗓 این		Tim= 0840
5 =		•.		d	1145'		1000		
RK FORM 55	PR	OLD MILL			•	منے ں اسے م	TEAR	HOLE NO.	3-1

-

DEPTH b	FDUMP IOLD MILLIKEN REGINDET	SPECTOR Rober	RTJ W	م أس		SHEET
DEPTH b	REGINERT		141 -1 -14	exx		OF 2 SHEETS 2
	DESCRIPTION OF MATERIALS	FIELD SCREENING RESULTS d	GEOTECH SAMPLE OR CORE BOX NO.	MALYTICAL SAMPLE NO.	BLOW COUNTS g	REMARKS
5	SAME	~//~	N/A		~/A-	
6-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	<u>-</u>	·				4-81 SAMPLE INTURUM)
8	 SAME			B-1 9-10' 0900		
7						Time for 8-12' 0900
	PAY FING TO MODILY SAMP MOISE LOOSE HTDEOCARDON ODOR					
	TOTAL DEATH = 12	ł	i	į.		
بالسلسك	37/ 258/ DRAWNERT #	Д	BACKE	HUED	J 	
		SAME SAME SAME GRAY FIND TO MODIUM SAMO MOIST LOOSE HTDROCARDON ODOR 1481 UISIBLE LOUSE ARE JOHN FORNER PAD TOTAL DEPTH = 12 DROWNWELL ARE JOHN FORNER PAD TOTAL DEPTH = 12 JOHN METHOD AND TOTAL DEPTH = 12 JOHN METHOD JOHN METHOD TOTAL DEPTH = 12 JOHN METHOD JOHN METHOD TOTAL DEPTH = 12 JOHN METHOD J	SAME SAME SAME SAME GRAY FING TO MODIUM SAMP MOIST LOOSE HTDEOCREDON ODOR 1481 NO 64 DEMANDET # CHINEET # CHIN	SAME SAME SAME SAME GRAY FING TO MEDIUM SAME MOIST LOCKE HTDEOCLARDON ODOR HTDEOCLARDON ODOR NISHER WISHER DRAWNER A BACK F TOTAL DEPTH = 13 / NO GROWND WATE BY TOTAL DEPTH = 13 / NO GROWND WATE TOTAL DEPTH = 1	SAME SAME	SAME SAME SAME SAME SAME SAME SAME SAME B-1, 9-10' 0900 900 CRAY FINE TO MODIM SAMP MOIST LOCKE HTDEOCNERON ODOR TOTAL DEPTH = 10' NO GERLID WATER GNOWLERD BY TOTAL DEPTH = 10' NO GROWN BY TOTAL DEPTH = 10

	•		HTW [DRILL	INC	LC	G				HOLE NO.	
COMPA	MY NAME	-/BER	~	2.	DRILLING	SUBCONT	RACTOR	-,	,	 	SHEET 1 OF / SHEETS	2
3. PROJECT FIVE YEAR REVIEW			4. LOCA	TION			<u>.</u>		· -			
ARKANSAS CITTOLING/OLDMILIKEN REFINEY			140	FACTURE OF .	/Y	ATION OF DRILL	ARKAN	USAS CITY K!	<u></u>			
NAME U	OF DAILLER	JOHN C	REGAN			b. MANU	eofrol	JESIUN Besiun	2.400			
	NO TYPES O	F DRILLING	Geofrobe 57			a UNIE	LOCATION S	·	71 05	EN	STUEN SIDE C	5C
AND SAI	MPLING EQU		FORD F-357			14	D9 WM	ADI	50~ ir	V15180	-WASTO AROA	<u></u>
		-	MACRO SAMPL ALETATEL			9 SURF	ACE ELEVATIO	W ,	1A			
			The Market	-170LJ C		10 DATE	STARTED		3/02	11. DATE COM	APLETED 7/3/02	
OVERE	BURDEN THIC	KNESS	712			15. DEP1	TH GROUNDWA		NCOUNTERED N			
DEPTH	DRILLED IN								APSED TIME AFT	·	OMPLETED	
	DEPTH OF F	HOLE 12	(17 OTHE	ER WATER LEV	EL ME	ASUREMENTS (SI		4	
GEOTE	CHNICAL SA	MPLES NIA	DISTURBED	UND	ISTURBED	-/A-	TOTAL NUM	BER O	CORE BOXES	~/A		
		MICAL ANALYSIS	voc	METAI		//	R (SPECIFY)		THER (SPECIFY)	OTHER (S	SPECIFY) 21. TOTAL	COF
	•		· N/A	N/	Δ_	PH -					RECOV	VERY
DISPOS	SITION OF HO	DLE	BACKFILLED	MONITORING	WELL	<u> </u>	(SPECIFY)	23	SIGNATURE DE IN	I ISP€¢TOR .		<u> </u>
		· 	BOJONITE	2	1/2		,	1	RNL	L Ro	best J. Web	J€€
LEV.	DEPTH	DE	ESCRIPTION OF MATERIALS		FIELD S	CREENING SULTS	GEOTECH SA		ANALYTICAL SAMPLE NO.	BLOW COUNTS	REMARKS	
a	b		¢			đ	e		1	g	h	
i			,,,,		1	^	14/1			~/A	START AT	
1		Dean	CAT ST ROOTS + 690 MATER For C	GANC .							0923	
	=	WO	MATER	uL,								
- 1	', 🗆		Cr Car C	5-1'		-			6-4			
- 1	' ¬	merim	57.Et						Frederic			
	7	TO	soft						Tive		T / '	
}							·		0925		·	
1	Ξ			i]	
- 1	2	DEWGL LAY) Cl									
	∃											
	ヸ	PARK BY	20m 9AT									
ļ	一二	MOIS		i								
	ㅋ		m 57,66									
	3	INDUIT	~ >1/~~	a l								
	3	40	ROCALOGI ODO	, -								
	<u> </u>	•	•	ļ								
									1.0	`		
	, 크						•		B-2/45			
- '	4		•				•	- 1	6935		4-8 TUTOR	v/L
	#	5.Amo	~						46		0935	
		5.4mb 51	THE						FILEDAL			
	#			-					5			
	5 7		•						د.		·	
·	AM 55	L'alph	OLD MILLIKE	\$ 97	TDO	MP	- Fil	oÆ.	TEAR	HOLE NO.	B-2	
			7 × × × · · · · · · · · · · · · · · · ·	z . Λ	~ u	A L 4	and the second	<i>ن</i> م	يابون	*1		

OJECT	Eile !	HTW DRILL	ING LO	G			HOLE NO. B-2 SHEET	
RKAP.	SAS GT	T DUMP/OLD MILLIKEN	ROBERT	J. WE			OF 2-SHEETS 2	
ELEV.	DEPTH b	REFINENCE DESCRIPTION OF MATERIALS C	FIELD SCREENING RESULTS d	GEOTECH SAMPLE OR CORE BOX NO. e	*MALYTICAL SAMPLE NO. 1	BLOW COUNTS g	REMARKS .	.
	5 -		N/A	N/A		N/A		1
	-	1 - STUG						
}		5-Ame, STIFE						
	, -							
	6 —	HICOCARBON DOOR					4-61 INTORK	
İ		11000		· ·			4-51 Intolu	
ļ							0>	
Ì	_					}		
	7]]	,	
ļ	Ξ				·			
	_	•						
	8 —			-			•	
		SAME						
		ATDRO CHEBONOCE						
	#	•				·		
	9 -	:						i
	#				^ 3		INTORVAL	
		•			Box,			
	=				BJ 9-10' 0945		0945	
	/b				2945			
	=							
	7	•						
1	11							
	3	GRAT SAND						
		FINAND MEDIUM	-		3			
	=	MUISZ LOUSE HTOLOCARBON COOP	* * * * * * * * * * * * * * * * * * * *					
	السيد		,	NO GE	ו איני	ATER		
	=======================================	Bal TOTAL DEPTE	+ -1+	,,,,		OUNTER	(2-1)	
	_======================================	151842		,				ŀ
	=	123 - 8-2 WHILE SUNKING		BACK	FULLERS	w/ A	GNTONITE	į
		1 10 11 & ZARBON 1						
	Ė	118 167			İ			
	_=	1' \ \ 1						
	7	$\begin{array}{cccccccccccccccccccccccccccccccccccc$						}
	=	<u> </u>						ŀ

MRK JOHN 55-2

OLD MILLIKEN REFINERT REVIEW 13-2

S PROJECT FIVE YEAR REVIEW 3. PROJECT FIVE YEAR REVIEW 4. LOCATION SOLTH OF ARKANSAS GTY DUMP OLD MILLIKENREFINED 1409 W MADISON ARKANSA 5. NAME OF DRILLER 5. NAME OF DRILLER 5. MANUFACTURER'S DESIGNATION OF DRILL 6. MANUFACTURER'S DESIGNATION OF DRILL 7. SIZES AND TYPES OF DRILLING GROPES 5400 8. HOLE LOCATION 1409 W MADISON	HEET 1 F / SHEETS D SGTYKS
3. PROJECT FIVE TEAR REVIEW ARKANSAS GITT DUMP OLD MILLY KENREFINED 1409 W MADISON ARKANSA 5. NAME OF DRILLER TOHN CREGAN 6. MANUFACTURER'S DESIGNATION OF DRILL GEDARDE 5400 7. SIZES AND TYPES OF DRILLING GAP DRORE 5400 8. HOLE LOCATION 1409 W MADISON	
NAME OF DRILLER SIZES AND TYPES OF DRILLING GROPERORE 5400 8. HOLE LOCATION 1409 W. MAD YOUR	<u> 2414 [C]</u>
SIZES AND TYPES OF DRILLING GODDRORE 5400 8. HOLE LOCATION 1409 W. MADI YOU	
SIZES AND TYPES OF DRILLING GEODICORE 5400 8. HOLE LOCATION 1409 W. MADI SO-	
AND SAMPLING EQUIPMENT FOR FOR OF NORTHON WASTE	- ALEA
MACRIS SAMPLOR 9. SURFACE ELEVATION NI	
ALETATE LINER	/
10 DATE STARTED 7/3/02 11. DATE COMPLETED	7/3/6)
2 OVERBURDEN THICKNESS >12! 15. DEPTH GROUNDWATER ENCOUNTERED D) &	
3. DEPTH DRILLED INTO ROCK 16 DEPTH TO WATER AND ELAPSED TIME AFTER DRILLING COMPLETE	² / ₂
TOTAL DEPTH OF HOLE 12 1 17 OTHER WATER LEVEL MEASUREMENTS (SPECIFY) NA	114
GEOTECHNICAL SAMPLES N/ DISTURBED UNDISTURBED 19 TOTAL NUMBER OF CORE BOXES	
SAMPLES FOR CHEMICAL ANALYSIS VOC METALS OTHER (SPECIFY) OTHER (SPECIFY) OTHER (SPECIFY)	21, TOTAL COR
N/A N/A PH-	RECOVERY
2. DISPOSITION OF HOLE BACKFILLED MONITORING WELL OTHER (SPECIFY) 23. SIGNATURE OF INSPECTOR	
BESTONITE ROSE	rs. Webe
ELEV. DEPTH DESCRIPTION OF MATERIALS FIELD SCREENING GEOTECH SAMPLE ANALYTICAL BLOW COUNTS	REMARKS
= Brown CIAT MOIST NINES N/A N/A N/A STA	h
Brown CIAT MOISE ADDES N/A N/A N/A STE	HET AT 1016
	. 1
= noist n-stee	itel TRUAL
	1012
2 - TRAVEL LAYOR	
- DARK Brown SLTT CIAT	S.A.
moist still	
	#-
3_7	•
,	
$\begin{vmatrix} 4 - 1 - 1 \end{vmatrix}$,
DARK BROWN SILT!	INTERVAL
	B 1070
moisk St. P. Duplikate \$ 3-3 Diplied	
THOROCARDOS ODOS DUPLLATES B-3 DI BIIOS	
PROJECT FIVE TEAR REVIEW HOLE NO. R	>
IK JUN 88 55 ARKANSAS GTY DUMP OLD MILLIAEN REGINERT D-	

PROJEÇT	AUE	HTW DRILL TEAR REVIEW GTT DUMP /OLD MILLY KEEP	INSPECTOD A		1400		HOLE NO. B
		REFINERY	FIELD SCREENING	GEOTECH SAMPLE OR CORE BOX NO.	"HALYTICAL	BLOW COUNTS	
ELEV.	S	DESCRIPTION OF MATERIALS SAME DARK BROWN STUTY CLAT MOIST STILL HTDROC ALBON GOOR	RESULTS d //R-	OR CORE BOX NO.	SAMPLE NO.	COUNTS	4-81 INTERNAL @1020 TATERNAL @1635
		BROWN MEDIUM SAND WELL LOOSE HTOROCARBON ODOR			B-3 9-10 1035		
		NOSTURAL B31 NO	lust BACK	DEPTI C from 16 FILLED W	1-121		B-≥

MRK JUN 55-2

ARKANSAS CITY DUMP/OLD MILLIKON REFINERT

			HTW	DRILL	ING L	OG				ноц	B-4
1 COMP	NY NAME	KNHE /	RER	2.	DRILLING SUBC	INTRACTOR	ER			SHEE	T 1 SHEETS 2
			4. LC	CATION SOL	TH	oF.					
	OF DRILLER				6. M	9 W MA	DESIGNA"	TION OF DRILL	_	79 K	
- 0.440			IN CREGA					BE 54			
	AND TYPES C LAIPLING EQU		GEOPROACT FORD-3		8 HC	LE LOCATION RMERN	PORT	100 W	adison = north	roe a	ASTE AREA
			MALRO SAM ACETATE	RER		RFACE ELEVATION		NIA			
		<u> </u>	ACEIRIE I	MERE	10 0	ATE STARTED	7/3	3/2	11. DATE CON	PLETED _	7/3/02
12 01/50	OUDDEN THE	TANEGE			1,5	ERTU: CROUNDIN	· / -				1/3/02
12 OVEH	BURDEN THIC	>1	۵'		15. 0	EPTH GROUNDW	AIER EN	COUNTERED	NIA		
13 DEPTH	ORILLED IN	TO ROCK	1.		16. D	EPTH TO WATER	AND ELA	PSED TIME AFT	ER DRILLING CO	MPLETED (ΙΔ
14, TOTAL	DEPTH OF H	+OLE			17 C	THER WATER LE	VEL MEAS	SUREMENTS (SF	PECIFYI ~/		
18 GEOTI	CHNICAL SA	MPLES N/A	DISTURRED .	LINDI	STURBEO	19 TOTAL NUM					
		~/~	DISTURBED		~/A		-		 		,
20. SAMPI	ES FOR CHE	MICAL ANALYSIS	voc	METAL		HER (SPECIFY)	ОТН	IER (SPECIFY)	OTHER IS	PECIFY)	21. TOTAL CORE RECOVERY
			N/A	~/,	~ //						*
22. DISPO	SITION OF HO	DLE	BACKFILLED	MONITORING		IER (SPECIFY)	23. SI	GNATURE OF IN	SPECTOR		ļ
	<u> </u>		BOTONTE	N/	FIELD SCREENII	IG GEOTECH S	AMBI E T	ANALYTICAL	BLOW	1	·
ELEV. a	OEPTH b	DE	ESCRIPTION OF MATERIALS		RESULTS	OR CORE B		SAMPLE NO.	COUNTS	'	REMARKS
	_	BROW	SILTCLATER WISH SI SILTCLAT DIST M. STIFF	ect 5	NA	1/1		····	NA	8700	TAT 1054
	=	ליירולי במאריים	we will be	>6℃ -	//4	''	.		11-4)14.0	
		Rep	SITTLIAT	~~]				
	,]	mo	DIST MISTIFF	765TILL						0-4	r
	/									1 .	t (100)
	=									6	9,705
			•	į				ļ			
	2 =	IERNA L	ATTER								ļ
		DARV P	som SILTIC	(AT							
		D4010 2	15C MEDIU SI	a l							}
	\exists		-17	الملا							
	3 =		M WIORDCARDS	and !							·
		Shile	HT WIDROLARDS					•			-
	= =										<u> </u>
	\equiv						l				
	4							2-41			. [
						•		125		4-8	2124
į	=		•	ļ				21115		14	TERVAL 1100
İ								0.			,,_
	5]										ļ-
		Pf	POJECT FIVE TE	AR REL	NEW)			l.	HOLE NO.	2-4	
RK Jü	FIM 55	م ا	RKANSAS CITTO	nmp/ol	DMILLI.	Ken Re	FINO	CRY	1 '	_ ,	

		HTW DRILL		G			HOLE NO. 8-4
DXAVA DXAVA	515 G75	TEAR REVIEW IN DUMPING		eret 5-			SHEET OF -SHEETS -
ELEV.	DEPTH b	DESCRIPTION OF MATERIALS c	FIELD SCREENING RESULTS d	GEOTECH SAMPLE OR CORE BOX NO.	"MALYTICAL SAMPLE NO. 1	BLOW COUNTS	REMARKS h
	5		N/A	NA		~/4	
		GAME. HIDDE CAR DO ODO					4-51
	, =	HODE CALLED					4-8 ¹ 1180 .
	6-1		·		B-4	,	-
		·	· -	·	B-4 4-5 1115		
	, =		-				
	<i>+</i> − − − − − − − − − − − − − − − − − − −						
	丰		-		-		
	E						(-1)
	8-	~					STATIONALO 1130
	=	SANE					
	_ =						
	9-			·	B-4		
	耳						
			-		: !		
		BROW FINE					
		to meon sans		-			
	‡	mass to well	-		1		
	"				i		
	且						-
	=======================================			NT1 -	ا ، الح		
	الم	NOCTHER WASTE AREA	, 1024	DEPTH = CROWN NO WAT BACK FILL	- CV	auntor	5D
	1	NOCTHERN WHOLE	Della I	NO WAY	od ud	BUNTON	SITE
		الرحن / / / /		BACKME			<u>.</u>
	극						-
	E	3-3		-			
		N	Age .		•		
		PROJECT FIVE TEAR REL	216(1)			HOLE NO.	

MRK JUN 89 55-2

LARKANGAS GTT DUMP! OLD MILLIKEN REFINERT

APPENDIX D



DHEL-04/98

Kansas Department of Health and Environment Division of Health and Environmental Laboratories Forbox Field Building 740

Forbes Field, Building 740 Topeka, Kansas 66620-0001

Lab Number:	
Date Received:	
Analysis Code:	

Samp	le Su	bmiss	ion i	Form
------	-------	-------	-------	------

Report To: Rob Weber Address: 1000 SW. JACKYN, SUITE 410 TOPEKA, KANSAS WILLIAM TOPEKA
Collection Site: B-1 (4-5') ARK GTY DUMP
Legal Project Code Name PWS Acct. No. Site ID Number: Collection Depth:
Sample Type: Water Soil Sediment Sludge Air Oil Solid Liquid Wipe Priority: Regular Moderate Urgent
Sample Collector: Rob Weber KNHE/BER/ARS Date: 07-03-02 Time: 0840
Name Agency (Abbr) Mo Day Yr 24 Hour Program EA EB EC ED EE EF EG EJ EL EP ER ET EW ES FK LM SC SE SG SN SP SW
Code: PC PD PE PI PP PT PU PV WE WI HD HF HL HS RP AR GS KC US AQ RT WC
Organic Chemistry Laboratory
Check Desired Analysis: Other VOC Sample Acidified:
U Volatiles Method: ☐ 624 ☐ 8260 ☐ 524.2 ☐ Pesticides Method: ☐ 608 ☐ 8080 ☐ 507/8
☐ Acids Method: ☐ 625 ☐ 8270 ☐ Base/Neutrals Method: ☐ 625 ☐ 8270 ☐ 525.2
☐ PCB's Method: ☐ 608 ☐ 8080 ☐ Oil ☐ Herbicides Method: ☐ 615 ☐ 8150 ☐ 515.1
ONE 402 SIL INR Inorganic Chamistry Laboratory
morganic Onemistry Laboratory
Bottle Nos.: Chem DO NUT HM CN O&G Phenol
Check Desired Analysis: Other PH 5 SW-846 9040
Metals Mercury Mineral TCLP
Radiation Chemistry Laboratory
Check Desired Analysis: Other
Gross Alpha Gross Uranium Ra-226 Ra-228
Sample Comments: ET OR "EZ" for special projects billing - STATE GENERAL FUND
Chain of Custody: ARK GITY DIMP CD-CISTCERCS
Date 7/3/02 Relinquished By Received By
Paralyod Pi
Tata Bollinguiched By RARINGES
Additional Reports Routed To: Received by
Name Address
Name Address
Name Address

instructions for this form are printed on the reverse side



Kansas Department of Health and Environment Division of Health and Environmental Laboratories Forbes Field Building 740

Forbes Field, Building 740 Topeka, Kansas 66620-0001

Lab Number:	
Date Received:	
Analysis Code:	

Sample Submission Form

Outriplo cas	
Report To: Rob Weber A	Idress: 1000 SW JACKEIN SUITE 410
Collection Site: B-1 D (14-15) ARK	CITY Nump
Site ID Number:	Collection Depth:
	Solid Liquid Wipe Priority: Regular Moderate Urgent
Sample Collector: Rob Wober KNICIBER	1ACS Date: 07-03-0) Time: 1006
	ncy (Abbr) Mo Day Yr 24 Hour
Program EA EB EC ED EE EF EG EL EL EP Code: PC PD PE PI, PP PT PU PV WE WI	ER ET EW ES FK LM SC SE SG SN SP SW HD HF HL HS RP AR GS KC US AQ RT WC
	istry Laboratory
Check Desired Analysis: Other	VOC Sample Acidified: 🗍
☐ Volatiles Method: ☐ 624 ☐ 8260 ☐ 524.2	Pesticides Method: 608 8080 507/8
Acids Method: 625 8270	☐ Base/Neutrals Method: ☐ 625 ☐ 8270 ☐ 525.2
☐ PCB's Method: ☐ 608 ☐ 8080 ☐ Oil	Herbicides Method: 615 8150 515.1
ONC 462 SOIL TAR Inorganic Chen	nistry Laboratory
Bottle Nos.: Chem DO NUT	HM CN O&G Phenol
Check Desired Analysis: Other A	
Metals Mercury	Mineral TCLP
Radiation Chem	nistry Laboratory
Check Desired Analysis: Other	
Gross Alpha Gross Uranium	Ra-226 Ra-228
Sample Comments: ET or "EZ" for specia	1 ARD PUTC BILLY - STATE GENERAL FUND
~ <i>1</i> .	1 projects billing -STATE GENERAL FUND ARK CITY DILM C2-C18-CCCS9
Chain of Custody:	
	Received By
Date Relinquished By	Received By DIV. OF H&E
Date Relinquished By	Received By LABORATORIES
Additional Reports Routed To:	2002 JUL -3 PM 3: 48
Name Address	
Name Address _	
Name Address	



Kansas Department of Health and Environment Division of Health and Environmental Laboratories Forbes Field Building 740

Forbes Field, Building 740
Topeka, Kansas 66620-0001

Lab Number:	
Date Received:	

Sample Submission	n Form Analysis Code:
Report To: <u>Lib Weberz</u> Address: 1	UO SIJ TAKKIN, SIITE 410
Report To: Rob Weber Address: According to the Report To: Report To: Report To: Report To: According to the Report To: Re	mp TOPEKA 66612-13
Site ID Number: Project Code Name	Collection Depth:
Sample Type: Water Soil Sediment Sludge Air Oil Solid	Liquid Wipe Priority: Regular Moderate Urgent
Sample Collector: Robber KOHE/BOR/A Name Agency (Abbr)	CSDate: OF OS OS Time: O 9 6 0
Program EA EB EC ED EE EF EG EJ EL EP ER ET Code: PC PD PE PI PP PT PU PV WE WI HD HF	FW ES EK IM SC SE SG SN SP SW
Organic Chemistry La	
Check Desired Analysis: Other	ľ
☐ Volatiles Method: ☐ 624 ☐ 8260 ☐ 524.2 ☐ Pes	icides Method:
Acids Method: 625 8270 Bas	e/Neutrals Method:
PCB's Method: 608 8080 Oil Hert	oicides Method: 🗌 615 🔲 8150 🔲 515.1
CME 402 SOIL FAR Inorganic Chemistry La	horatory
·	
Bottle Nos.: Chem DO NUT HM	
Check Desired Analysis: The Other ph by Sui-84	- 1010
Metals Mercury	Mineral TCLP
Radiation Chemistry La	boratory
Check Desired Analysis: Other	
Gross Alpha Gross Uranium	Ra-226 Ra-228
Sample Comments: ET OR EZ' FOR Special po	LOJECTS SIlling - STATE-GENERAL FULLY
Chain of Custody:	ARICATY DOMP C)-018-CLEST
Date 7/3/02 Relinquished By	Received By
Date Relinquished By	(,
Date Relinquished By	of Haire
Additional Reports Routed To:	Received By Received By DIV. OF H&E DIV. OF H&E ABORN 3: 48
Name Address	Received By LABORATORIES LABORATORIES 2002 JUL -3 PM 3: 48
Name Address	. • • • • • • • • • • • • • • • • • • •
Name Address	



Kansas Department of Health and Environment Division of Health and Environmental Laboratories

Forbes Field, Building 740 Topeka, Kansas 66620-0001

Lab Number:	
Date Received:	

Sample Submission Form

	Sample Sub	mission Form	Analysis Code:	
Report To: Rob Weber.	A	ddress: 1600 500	JACKSON, SLITE	470
Collection Site: 13-2 (4- Legal Project C	S) ARK	CITY DUMP	CANOSICS OF CO	
Site ID Number:	Name		Collection Depth:	PWS Acct No.
Sample Type: Water Soll Sediment	Sludge Air Oi	Solid Liquid	Wipe Priority: (Regular)	Moderate Urgent
Sample Collector: Rob Webser		R/ARS Date: C	$\frac{\cancel{37} - \cancel{63} - \cancel{63}}{\cancel{Mo}}$ Time:	0935 24 Hour
Program EA EB EC ED EE EF Code: PC PD PE PI PP PT	EG (EJ) EL EF	ER ET EW ES	FK LM SC SE SG S	SN SP SW
	· . · · · · · · · · · · · · · · · · · ·	istry Laboratory		
Check Desired Analysis: Othe	er	···	VOC Sample	Acidified: 🗍
☐ Volatiles Method: ☐ 624 ☐ 8	3260 🔲 524.2	Pesticides	Method:	0 🗆 507/8
Acids Method: 625	3270	Base/Neutrals	Method: 🗌 625 🔲 827	0 🗆 525.2
PCB's Method: 608 2	080 🔲 Oil	Herbicides I	Method:	0 🗆 515.1
Bottle Nos.: Chem DO Check Desired Analysis: L Oth	er AH by	5W-846 90	O&G Phe	
Metals	Mercury	Minera	I TCL	
	Radiation Cher	nistry Laboratory		
Check Desired Analysis: U	ner	·		·
Gross Alpha	Gross Uranium	Ra-226	Ra-22	28
Sample Comments: ET or "EZ	" Pur special	projate billing -	-STATE GENERALF	hnd
Chain of Custody:	10 10	ARK CITY DO	MV CJ-018-000	ስዋ
Date 7/3/02 Relinquished By	4	Received	(1011)	· .
Date Relinquished By		Received	d By	
Date Relinquished By		Received	By DIV. OF H&E LABORATORI	ES
Additional Reports Routed To:		;	LABUKA PH	3: 48
Vame	Address		2002 JUL -3 111	
Name	Address			
Vame	Address			



DHEL-04/98

Kansas Department of Health and Environment Division of Health and Environmental Laboratories

Forbes Field, Building 740 Topeka, Kansas 66620-0001

Lab Number:	
Date Received:	

The second secon	Sample Submission F	orm Analysis Code:
D1 212	•	
Report To: Kon Lucializ	Address: ACC 70F	SINTACKSON SINTE 410 YEKA, KANSAS GUGGIZ-1367
Collection Site: 3-2 (9-) Legal Project C	O) ARK CITY Dum	<u> </u>
Site ID Number:		Collection Depth: Feet
Sample Type: Water Soil Sediment	Sludge Air Oil Solid Liqu	uld Wipe Priority: Regular Moderate Urgeni
Sample Collector: Ab Deber	KOICIBER/ARS D	Date: <u>67 - 63 62</u> Time: <u>69 45</u>
Name Program EA EB EC ED EE EF	Agency (Abbr)	Mo Day Yr 24 Hour / ES FK LM SC SE SG SN SP SW
Code: PC PD PE PI PP PT	PU PY WE WI HD HF HL	HS RP AR GS KC US AQ RT WC
	Organic Chemistry Labora	·
Check Desired Analysis: Othe	ſ	VOC Sample Acidified: [
U Volatiles Method: ☐ 624 ☐ 8	260	s Method: 🗌 608 🗎 8080 🗎 507/8
Acids Method: 625 8	270 Base/Net	utrals Method: 🗌 625 🔲 8270 🔲 525.2
PCB's Method: 608 8	080 🗌 Oil 📗 Herbicide	es Method: 🗌 615 🔲 8150 🔲 515.1
CNE 402 SEIL. TAR	norganic Chemistry Labor	atory
Bottle Nos.: Chem DO		
Check Desired Analysis: Other	or pH by Sw-846	<i>3070</i>
Metals	Mercury	Mineral TCLP
F	Radiation Chemistry Labor	atory
Check Desired Analysis: Oth	er	
Gross Alpha	Gross Uranium	Ra-226 Ra-228
	7 10	
Sample Comments: EJ or E	E TUE SPRIAL DRUJECT	S hilling - STATE GENERAL FUND
Shall of Custody:	$A \setminus \{1\}$	//\
Date 7/3/02 Relinquished By	Re	eceived By
Date Relinquished By	Re	eceived By
Date Relinquished By	Re	LABORATORIES LABORATORIES
Additional Reports Routed To:	. '	LABURIU -3 PH 3: 48
Name	Address	2002 JUL -3 111
Name	Address	
Name	Address	

instructions for this form are printed on the reverse side



Kansas Department of Health and Environment Division of Health and Environmental Laboratories

Forbes Field, Building 740 Topeka, Kansas 66620-0001

Lab Number:	
Date Received:	

Sample Submission Form
Report To: Rob Weber Address: 100 Sw TACKOW, SUITE 410 TOPEKA KANSAS 66613-136-7 Collection Site: B-3 (4-5) ARK CITY DUMP
Collection Site: B-3(4-51) ARK CITY DUMP
Site ID Number: Collection Depth:
Sample Type: Water Soil Sediment Sludge Air Oil Solid Liquid Wipe Priority: Regular Moderate Urgent
Sample Collector: Rob Weber KOHE/BER/ARS Date: 07-03-02 Time: 10 20 Name Agency (Abbr) Mo Day Yr 24 Hour
Program EA EB EC ED EE EF EG ED EL EP ER ET EW ES FK LM SC SE SG SN SP SW Code: PC PD PE PI PP PT PU PV WE M HD HF HL HS RP AR GS KC US AQ RT WC ET OR "EE" FOR SAPCIAL ARGELT C
Organic Chemistry Laboratory
Check Desired Analysis: Other VOC Sample Acidified:
□ Volatiles Method: □ 624 □ 8260 □ 524.2 □ Pesticides Method: □ 608 □ 8080 □ 507/8
Acids Method: 625 8270 Base/Neutrals Method: 625 8270 525.2
PCB's Method: 608 8080 Oil Herbicides Method: 615 8150 515.1
ONE 407 SEL SHE Inorganic Chemistry Laboratory
Bottle Nos.: Chem DO NUT HM CN O&G Phenol
Check Desired Analysis: A Other AH 5 SW-846 7040
Metals Mercury Mineral TCLP
Radiation Chemistry Laboratory
Check Desired Analysis: Other
Gross Alpha Gross Uranium Ra-226 Ra-228
Sample Comments: ET OR "EZ" FOR SPUCIAL PROJECTS BILLING - STATE CENCRAL FORVS
Chain of Custody: ARKEITY ALMA CA-CIS-CCCO9
Date 7/3/02 Relinquished By Received By
Date Relinquished By Received By
Date Relinquished By Received By DIV. OF HOLES Additional Reports Routed To:
Additional Reports Routed To:
Additional Reports Routed To: Name Address Address
Name Address
Name Address



DHEL-04/86

Kansas Department of Health and Environment Division of Health and Environmental Laboratories

Forbes Field, Building 740 Topeka, Kansas 66620-0001

Lab Number:	
Date Received:	

	Sample Sub	mission Form	Analysis	s Code:	
Report To: Rok Weber				Suite 410	
Report To: Rob Weber Collection Site: B-3 D () Legal Project	14-15) AR	CK CITY DIG	1P	(461.2-136.7 Dus	cct No.
Site ID Number:			Collection D		- No.
Sample Type: Water Soil Sediment	Sludge Air Oil	Solid Liquid	Wipe Priority:	Regular Moderate	Urgent
Sample Collector: Rh L) ele/		TE /ARS Date:			O O
Program EA EB EC ED EE EF Code: PC PD PE PI PP PI ET OR EZ" (C	EG ED EL EF	ER ET EW ES	FK LM SC S	SE SG SN SP	SW
promoti	•	istry Laboratory			
Check Desired Analysis: Oth	ier		VO(Sample Acidified:	
☐ Volatiles Method: ☐ 624 ☐	8260 🗍 524.2	Pesticides	Method: 🔲 608	8080 🗆 50	7/8
Acids Method: 625	8270	Base/Neutrals	Method: 🗆 625	5 🗆 8270 🗅 52	5.2
PCB's Method: 608	8080 🔲 Oil	Herbicides	Method: 🗌 615	5 🗆 8150 🗆 51	5.1
CNO 407 SUL JAR	Inorganic Cher	nistry Laboratory]
•	_			5 1]
Bottle Nos.: Chem DO					-
Check Desired Analysis: C Ott	ner DE Da	317-246	1070		
Metals	Mercury	property (4)	al	TCLP	
	Radiation Cher	nistry Laboratory	1		
Check Desired Analysis: O	ther				
Gross Alpha	Gross Uranium	Ra-22	6	Ra-228	
Sample Comments: <u>EJor "E</u>	Z" (cos grac	ial projects b	illing - STA	TE CENCIENC	FUN!
Chain of Custody:	AIA	/	1REGTT	Dimp Ca-Cu	S-05.
Date 7/3/62 Relinquished By	, Kyrl		d By	CIMP	5
Date Relinquished By	1	Receive	ed By	DIV. OF H&E	<u>s</u>
Date Relinquished By					!: 49 -
Additional Reports Routed To:			25	LABOUTH PH 3	
lame	Address				
Vame					
lame	Address				_

instructions for this form are printed on the reverse side



Kansas Department of Health and Environment Division of Health and Environmental Laboratories

Forbes Field, Building 740 Topeka, Kansas 66620-0001

Lab Number:	
Date Received:	
Analysis Code:	

Sample Submission Form

Report To: Rob Weber Addr	ess: AUD JW JACKSAN, SLITE 410
Collection Site: 15-3 (TTO) ARK CITT	Mum P
Legal Project Code Name Site ID Number:	PWS Acct. No. Collection Depth:
Sample Type: Water Soil Sediment Sludge Air Oil	Solid Liquid Wipe Priority: Regular Moderate Urgent
Sample Collector: Rob Weber KOHE/B	R/ARS Date: 07-03- Ch Time: 1035
	(Abbr) Mo Day Yr 24 Hour
Program EA EB EC ED EE EF EG ED EL EP E Code: PC PD PE PI PP PT PU PV WE WI F	R ET EW ES FK LM SC SE SG SN SP SW ID HF HL HS RP AR GS KC US AQ RT WC
Organic Chemist	
Check Desired Analysis: Other	VOC Sample Acidified: []
☐ Volatiles Method: ☐ 624 ☐ 8260 ☐ 524.2 ☐	Pesticides Method: 🗌 608 🗎 8080 🗎 507/8
Acids Method: 625 8270	Base/Neutrals Method: ☐ 625 ☐ 8270 ☐ 525.2
☐ PCB's Method: ☐ 608 ☐ 8080 ☐ Oil ☐	Herbicides Method: 🗌 615 🗎 8150 🔲 515.1
CNE 407- SUL TAR Inorganic Chemis	
Bottle Nos.: Chem DO NUT HN	1 CN O&G Phenol
Check Desired Analysis: 4 Other 11 by Su	0-846 7040
Metals Mercury	Mineral TCLP
Radiation Chemis	try Laboratory
Check Desired Analysis: Other	
	· []
Gross Alpha Gross Uranium	Ra-226 Ra-228
Sample Comments: ET on "EZ" Con special po	OJECTS Billing - STATE GENGRAL FUND
Chain of Custody:	ARKETTOUMP CO-018-0009
Date 7/3/02 Relinquished By.	Received By
Date Relinquished By	Received By AF H&F
Date Relinquished By	Received By DIV. OF HATES Received By LABORATORIES
Additional Reports Routed To:	2002 JUL -3 PH 3: 49
Name Address	2002 302
Name Address	
Name Address	



DHEL-04/98

Kansas Department of Health and Environment Division of Health and Environmental Laboratories Forbes Field, Building 740

Topeka, Kansas 66620-0001

Lab Number:	
Date Received:	
Analysis Code:	

Sample Submission Form

Report To: Roy Weber Address:				
Collection Site: B-4 (4-5') ARKGTT Dump				
Legal Project Code Name PWS Acct. Site ID Number: Collection Depth:	No.			
Feet Sample Type: Water Soil Sediment Sludge Air Oil Solid Liquid Wipe Priority: Regular Moderate Ur	gent			
Sample Collector: Rob Webor KANG-1808/ARS Date: 07-03-02 Time: 1/1	-			
Name Agency (Abbr) Mo Day Yr 24 Hou	r			
Program EA EB EC ED EE EF EG ED EL EP ER ET EW ES FK LM SC SE SG SN SP SW CODE: PC PD PE PI PP PT PU PV WE WI HD HF HL HS RP AR GS KC US AQ RT WC	,			
Organic Chemistry Laboratory				
Check Desired Analysis: Other VOC Sample Acidified:	!			
Volatiles Method: □ 624 □ 8260 □ 524.2 □ Pesticides Method: □ 608 □ 8080 □ 507/8	,			
Acids Method: 625 8270 Base/Neutrals Method: 625 8270 525.2	:			
PCB's Method: 608 8080 Oil Herbicides Method: 615 8150 515.1				
CNE 407 SCIL STAR Inorganic Chemistry Laboratory				
Bottle Nos.: Chem DO NUT HM CN O&G Phenol				
Check Desired Analysis: 4 Other Al-1 by SW-846 7040				
Metals Mercury Mineral TCLP				
Radiation Chemistry Laboratory				
Check Desired Analysis: Other	_			
Gross Alpha Gross Uranium Ra-226 Ra-228				
ample Comments: EI OR "EZ" (or special projects billing - STATE GENTRAL FILLO CARE GIT Dump- CD-015-				
hain of Custody:	. UCC			
ate 7/3/02 Relinquished By Received By				
ate Relinquished By Received By				
ate Relinquished By Received By DIV. OF H&E				
dditional Reports Routed To:				
ame Address 2002 JUL -3 PM 3: 49				
ame Address				
ame Address				

instructions for this form are printed on the reverse side



Kansas Department of Health and Environment Division of Health and Environmental Laboratories

Forbes Field, Building 740 Topeka, Kansas 66620-0001

Lab Number:	
Date Received:	
Analysis Code:	

Sample Submission Form
Report To: Rob Weber Address: 1000 SLO JACKSON SUITE 410
Collection Site: B-4 (9-10) ARK CITY DIAMP
Site ID Number: Collection Depth: Feet Feet PWS Acct. No. PWS Acct. No.
Sample Type: Water Soll Sediment Sludge Air Oil Solid Liquid Wipe Priority: Regular Moderate Urgent
Sample Collector: Rob Weber KNIE/BER / ARS Date: 07-03-02 Time: 1 1 30
Name Agency (Abbr) Mo Day Yr 24 Hour Program EA EB EC ED EE EF EG EJ EL EP ER ET EW ES FK LM SC SE SG SN SP SW
Code: PC PD PE PI PP PT PU PV WE WI HD HF HL HS RP AR GS KC US AQ RT WC
Organic Chemistry Laboratory
Check Desired Analysis: Other VOC Sample Acidified:
Volatiles Method: □ 624 □ 8260 □ 524.2 □ Pesticides Method: □ 608 □ 8080 □ 507/8
Acids Method: ☐ 625 ☐ 8270 ☐ Base/Neutrals Method: ☐ 625 ☐ 8270 ☐ 525.2
PCB's Method: 608 8080 Oil Herbicides Method: 615 8150 515.1
CNE 4てる Sul 5AP Inorganic Chemistry Laboratory
Bottle Nos.: Chem DO NUT HM CN O&G Phenol
Check Desired Analysis: Other 14 by Sw-846, 7040
Metals Mercury Mineral TCLP
Radiation Chemistry Laboratory
Check Desired Analysis: Other
Gross Alpha Gross Uranium Ra-226 Ra-228
Sample Comments: ET OR "EZ" FOR Special projects billing - STATE GENERAL FLAND ARKGET Dump CD-018-00009
Chain of Custody:
Date 7/3/02 Relinquished By Received By
Date Polinguished By Received By DE H&F
Date Relinquished By Received By LABORATORIES
Additional Reports Routed To: 2002 JUL -3 PH 3: 49
Name Address
Name Address
Name Address



DHEL-04/98

Kansas Department of Health and Environment Division of Health and Environmental Laboratories Forbes Field, Building 740

Topeka, Kansas 66620-0001

Lab Number:	
Date Received:	
Analysis Code:	

Sample Submission Form

Report To: Robs Welser Address: KXX Si JACKSON, SUITE 410
Collection Site: TRIP BLANK - I (ARK CITT PLINA)
Legal Project Code Name PWS Acct. No. Site ID Number: Collection Depth:
Sample Type: Water Sediment Studge Alr Oil Solid Liquid Wipe Priority: Regular Moderate Urgent
Sample Collector: Rub Waser KAIKINGRIARS Date: 07-01-02 Time: 1130
Name Agency (Abbr) Mo Day Yr 24 Hour Program EA EB EC ED EE EF EG ED EL EP ER ET EW ES FK LM SC SE SG SN SP SW
Program EA EB EC ED EE EF EGCED EL EP ER ET EW ES FK LM SC SE SG SN SP SW Code: PC PD PE PI PP PT PU PV WE WI HD HF HL HS RP AR GS KC US AQ RT WC
Organic Chemistry Laboratory
Check Desired Analysis: Other VOC Sample Acidified:
☐ Volatiles Method: ☐ 624 ☐ 8260 ☐ 524.2 ☐ Pesticides Method: ☐ 608 ☐ 8080 ☐ 507/8
☐ Acids Method: ☐ 625 ☐ 8270 ☐ Base/Neutrals Method: ☐ 625 ☐ 8270 ☐ 525.2
☐ PCB's Method: ☐ 608 ☐ 8080 ☐ Oil ☐ Herbicides Method: ☐ 615 ☐ 8150 ☐ 515.1
UNPRESERVED VON UIAL Inorganic Chemistry Laboratory
Bottle Nos.: Chem DO NUT HM CN O&G Phenol
Check Desired Analysis: Dother AH b. EPA 150.1
Metals Mercury Mineral TCLP
Radiation Chemistry Laboratory
Check Desired Analysis: Other
Check Desired Analysis: Other Gross Alpha Gross Uranium Ra-226 Ra-228
Check Desired Analysis: Other Gross Alpha Gross Uranium Ra-226 Ra-228
Check Desired Analysis: Other Gross Alpha Gross Uranium Ra-226 Ra-228 Sample Comments: Chain of Custody: ARK CITT Dum P CD - 018 - CCCCO?
Check Desired Analysis: Other Gross Alpha Gross Uranium Ra-226 Ra-228 Sample Comments: ET or "EZ" Gr. special project Soilling - Stite grand Frank
Check Desired Analysis: Other Gross Alpha Gross Uranium Ra-226 Ra-228 Sample Comments: Chain of Custody: Date 7/3/02 Relinquished By Received By Received By Received By
Check Desired Analysis: Gross Alpha Gross Uranium Ra-226 Ra-228 Sample Comments: Chain of Custody: Date Relinquished By Received By Received By Received By Received By Received By
Check Desired Analysis: Gross Alpha Gross Uranium Ra-226 Ra-228 Sample Comments: Chain of Custody: Date Relinquished By Received By Received By Received By Received By Received By
Check Desired Analysis: Other Gross Alpha Gross Uranium Ra-226 Ra-228 Sample Comments: Chain of Custody: Date Relinquished By Received By
Check Desired Analysis: Gross Alpha Gross Uranium Ra-226 Ra-228 Sample Comments: Chain of Custody: Date Relinquished By Received By Re

instructions for this form are printed on the reverse side



DHEL-04/98

Kansas Department of Health and Environment Division of Health and Environmental Laboratories

Forbes	Field, E	Building 740
Topeka,	Kansas	66620-0001

Lab Number:	
Date Received:	
Analysis Code:	

Sample Submission Form

Report To: Robert Collection Site: Rinser Blank Robert Collection Site: Rinser Blank Robert Code Robert Code Robert Collection Depth: Robert Code Robert Code Robert Code Robert Collection Depth: Feet Sample Type: Water Soil Sediment Sludge Air Oil Solid Liquid Wipe Priority: Regular Moderate Urgent Sample Collector: Robert Code Robert Robert Code Robert Robert Code Ro
Organic Chemistry Laboratory
Check Desired Analysis: U Other VOC Sample Acidified: []
U Volatiles Method: ☐ 624 ☐ 8260 ☐ 524.2 ☐ Pesticides Method: ☐ 608 ☐ 8080 ☐ 507/8
☐ Acids Method: ☐ 625 ☐ 8270 ☐ Base/Neutrals Method: ☐ 625 ☐ 8270 ☐ 525.2
☐ PCB's Method: ☐ 608 ☐ 8080 ☐ Oil ☐ Herbicides Method: ☐ 615 ☐ 8150 ☐ 515.1
Bottle Nos.: Chem DO NUT HM CN O&G Phenol Check Desired Analysis: Other Pi- 5. CPA 150. Metals Mercury Mineral TCLP
Radiation Chemistry Laboratory
Check Desired Analysis: Other
Gross Alpha Gross Uranium Ra-226 Ra-228
Chain of Custody: Date 7/3/02 Relinquished By Received By Additional Reports Routed To: Name Address Address Address
Name Address

Instructions for this form are printed on the reverse side

APPENDIX E



Kansas Department of Health and Environment Forbes Field, Bldg. 740, Topeka, Kansas 66620-0001

REPORT OF ANALYSIS



INVIRONMENTAL REMEUL

INORGANIC CHEMISTRY

Report To: Bureau of Env. Remediation

Curtis SOB, Suite 410

ATTN: Rob Weber

Topeka KS 66612

Lab Number: 400215PT

Site ID:

Account Code: EZ

4EM80

Collection Location: B-1 (4-5') Ark City Dump C2-018-00009

Collector: Rob Weber

Date/Time Collected: 07/03/02 08:40

Matrix: Soil

.1 Collect Depth: Date/Time Received: 07/03/02 15:48

Sample Comments:

Parameter	Analytical Result	Units	Analysis Date	Analytical Method
pH	8.16	pH unit	07/15/02	EPA 150.1

Reporting Analyst: REH Date Reported: 07/16/02 Copies To: File

Not Detected at Indicated Level

Holding Time Exceeded

Virology



Kansas Department of Health and Environment Forbes Field, Bldg. 740, Topeka, Kansas 66620-0001

REPORT OF ANALYSIS

INORGANIC CHEMISTRY

BUREAU OF

ENVIRONMENTAL REMEDIATION

JUL 1 7 2000

Report To: Bureau of Env. Remediation

Curtis SOB, Suite 410

ATTN: Rob Weber Topeka KS 66612

4EM80

Site ID:

Lab Number: 400219PT

Account Code: EZ

Collection Location: B-1D(14-15') Ark City Dump C2-018-00009

Collector: Rob Weber
Date/Time Collected: 07/03/02 10:00

Matrix: Soil

Collect Depth: Date/Time Received: 07/03/02 15:48

Sample Comments:

Analytical			Analysis	Analytical
Parameter	Result	Units	Date	Method
рн	8.10	pH unit	07/15/02	EPA 150.1

Reporting Analyst: REH Date Reported: 07/16/02 Copies To: File

Not Detected at Indicated Level

Holding Time Exceeded



Kansas Department of Health and Environment Forbes Field, Bldg. 740, Topeka, Kansas 66620-0001=CEN

REPORT OF ANALYSIS

INORGANIC CHEMISTRY

JUL 1 7 2002

BUREAU OF

ENVIRONMENTAL REMEDIATION

Report To: Bureau of Env. Remediation

Curtis SOB, Suite 410

ATTN: Rob Weber

Topeka KS 66612

4EM80

Site ID:

Lab Number: 400216PT

Account Code: EZ

Collect Depth:

Collection Location: B-1 (9-10') Ark City Dump C2-018-00009 Collector: Rob Weber Matrix: Soil Date/Time Collected: 07/03/02 09:00 Date/T:

Date/Time Received: 07/03/02 15:48

Sample Comments:

Parameter	Analytical Result	Units	Analysis Date	Analytical Method
рн	8.77	pH unit	07/15/02	EPA 150.1

Reporting Analyst: REH Date Reported: 07/16/02 Copies To: File

- Not Detected at Indicated Level

Holding Time Exceeded



Kansas Department of Health and Environment RECEN Forbes Field, Bldg. 740, Topeka, Kansas 66620-0001

REPORT OF ANALYSIS

BUREAU OF ENVIRONMENTAL REMEDIATION

Lab Number: 400217PT

Account Code: EZ

Site ID:

4EM80

JUL 1 7 20

INORGANIC CHEMISTRY

Report To: Bureau of Env. Remediation

Curtis SOB, Suite 410

ATTN: Rob Weber

Topeka KS 66612

Collection Location: B-2(4-5') Ark City Dump C2-018-00009

Collector: Rob Weber
Date/Time Collected: 07/03/02 09:35

Matrix: Soil

Collect Depth:
Date/Time Received: 07/03/02 15:48

Sample Comments:

Parameter	Analytical Result	Units	Analysis Date	Analytical Method
рн	12.41	pH unit	07/15/02	EPA 150.1

Reporting Analyst: REH Date Reported: 07/16/02 Copies To: File

< - Not Detected at Indicated Level * - Holding Time Exceeded



Kansas Department of Health and Environment CENE

Forbes Field, Bldg. 740, Topeka, Kansas 66620-0001

REPORT OF ANALYSIS

BUREAU OF ENVIRONMENTAL REMEDIATION

JUL 1 7 2008

INORGANIC CHEMISTRY

Report To: Bureau of Env. Remediation

Lab Number: 400218PT

4EM80

Site ID:

Account Code: EZ

Collection Location: B-2(9-10') Ark City Dump C2-018-00009 Collector: Rob Weber Matrix: Soil

Date/Time Collected: 07/03/02 09:45

Curtis SOB, Suite 410

ATTN: Rob Weber Topeka KS 66612

.1 Collect Depth:
Date/Time Received: 07/03/02 15:48

Sample Comments:

Parameter	Analytical Result	Units	Analysis Date	Analytical Method
рH	6.30	pH unit	07/15/02	EPA 150.1

Reporting Analyst: REH Date Reported: 07/16/02

Copies To: File

< - Not Detected at Indicated Level

Holding Time Exceeded

Virology



Kansas Department of Health and Environment Forbes Field, Bldg. 740, Topeka, Kansas 66620-0001

REPORT OF ANALYSIS

JUL 1 7 2002

INORGANIC CHEMISTRY

BUREAU OF **ENVIRONMENTAL REMEDIATION**

Report To: Bureau of Env. Remediation

Curtis SOB, Suite 410

ATTN: Rob Weber

Topeka KS 66612

4EM80

Site ID:

Lab Number: 400221PT

Account Code: EZ

Collection Location: B-3(4-5') Ark City Dump C2-018000009

Collector: Rob Weber
Date/Time Collected: 07/03/02 10:20

Matrix: Soil

Collect Depth:
Date/Time Received: 07/03/02 15:48

Sample Comments:

Parameter	Analytical Result	Units	Analysis Date	Analytical Method
рH	12.44	pH unit	07/15/02	EPA 150.1

Reporting Analyst: REH Date Reported: 07/16/02

Copies To: File

< - Not Detected at Indicated Level
* - Holding Time Exceeded</pre>



Kansas Department of Health and Environment Forbes Field, Bldg. 740, Topeka, Kansas 66620-000 FCEIV

REPORT OF ANALYSIS

JUL 1 7 2002

BUREAU OF

INORGANIC CHEMISTRY

ENVIRONMENTAL REMEDIATION

Report To: Bureau of Env. Remediation Curtis SOB, Suite 410

ATTN: Rob Weber

Topeka KS 66612

Lab Number: 400223PT

Site ID:

Account Code: EZ

4EM80

Collection Location: B-3D(14-15') Ark City Dump C2-018-00009 Collector: Rob Weber Matrix: Soil

Collector: Rob Weber

.l Collect Depth: Date/Time Received: 07/03/02 15:48 Date/Time Collected: 07/03/02 11:00

Sample Comments:

Parameter	Analytical Result	Units	Analysis Date	Analytical Method
Нq	12.39	pH unit	07/15/02	EPA 150.1

Reporting Analyst: REH

Date Reported: 07/16/02

Copies To: File

< - Not Detected at Indicated Level

- Holding Time Exceeded



Kansas Department of Health and Environment Forbes Field, Bldg. 740, Topeka, Kansas 66620 000 EIVE

REPORT OF ANALYSIS

JUL 1 7 2002



INORGANIC CHEMISTRY

BUREAU OF ENVIRUNMENTAL REMEDIATION

Report To: Bureau of Env. Remediation

Curtis SOB, Suite 410

ATTN: Rob Weber Topeka KS 66612

4EM80

Site ID:

Lab Number: 400222PT

Account Code: EZ

Collection Location: B-3(9-10') Ark City Dump C2-018-00009

Collector: Rob Weber
Date/Time Collected: 07/03/02 10:35

Matrix: Soil

.1 Collect Depth: Date/Time Received: 07/03/02 15:48

Sample Comments:

Parameter	Analytical Result	Units	Analysis Date	Analytical Method
нд	12.39	pH unit	07/15/02	EPA 150.1

Reporting Analyst: REH Date Reported: 07/16/02

Copies To: File

< - Not Detected at Indicated Level * - Holding Time Exceeded



Kansas Department of Health and Environment

Forbes Field, Bldg. 740, Topeka, Kansas 66620-0001

REPORT OF ANALYSIS

BUREAU OF ENVIRONMENTAL REMEDIATION

Lab Number: 400224PT

Account Code: EZ

Site ID:

4EM80

JUL 17 2002

INORGANIC CHEMISTRY

Report To: Bureau of Env. Remediation

Curtis SOB, Suite 410

ATTN: Rob Weber

Topeka KS 66612

Collect Depth:
Date/Time Received: 07/03/02 15:49

Collection Location: B-4(4-5') Ark City Dump C2-018-00009 Matrix: Soil

Collector: Rob Weber
Date/Time Collected: 07/03/02 11:15

Sample Comments:

Parameter	Analytical Result	Units	Analysis Date	Analytical Method
рн	8.32	pH unit	07/15/02	EPA 150.1

Reporting Analyst: REH Date Reported: 07/16/02

Copies To: File

< - Not Detected at Indicated Level

- Holding Time Exceeded



Kansas Department of Health and Environment CEIVE Forbes Field, Bldg. 740, Topeka, Kansas 66620-0001

JUL 1 7 2002

REPORT OF ANALYSIS

BUREAU OF ENVIRONMENTAL REMEDIATION

INORGANIC CHEMISTRY

Report To: Bureau of Env. Remediation

Curtis SOB, Suite 410

ATTN: Rob Weber

Topeka KS 66612

Collection Location: B-4(9-10') Ark City Dump C2-018-00009

Matrix: Soil

Collect Depth:
Date/Time Received: 07/03/02 15:49

Account Code: EZ

Lab Number: 400226PT

Site ID:

4EM80

Collector: Rob Weber
Date/Time Collected: 07/03/02 11:30 Sample Comments:

Parameter	Analytical Result	Units	Analysis Date	Analytical Method
рн	12.47	pH unit	07/15/02	EPA 150.1

< - Not Detected at Indicated Level
* - Holding Time Exceeded</pre>

Reporting Analyst: REH Date Reported: 07/16/02 Copies To: File



Kansas Department of Health and Environmen RECEN Forbes Field, Bldg. 740, Topeka, Kansas 66620-0001 JUL 1 7 200

REPORT OF ANALYSIS

BUREAU OF ENVIRONMENTAL REMEDIATIO

INORGANIC CHEMISTRY

Report To: Bureau of Env. Remediation

Curtis SOB, Suite 410

ATTN: Rob Weber Topeka KS 66612

Lab Number: 40022

Site ID: Account Code:

Collection Location: Trip Blank-1 ARk City Dump C2-018-00009 Collector: Rob Weber Matrix: Water Date/Time Collected: 07/03/02 11:30 Date/Time

Collect Depth:

Date/Time Received: 07/03/02 15:49

Sample Comments:

Parameter	Analytical Result	Units	Analysis Date	Analytical Method
рн	6.06	pH unit	07/15/02	EPA 150.1

Reporting Analyst: REH Date Reported: 07/16/02 Copies To: File

Not Detected at Indicated Level

Holding Time Exceeded

Radiochemistry (785) 296-1629 Env. Microbiology (785) 296-0971 Diagnostic Micro. **Neonatal Screening** Serology Virology

(785) 296-1636 (785) 296-1651 (785) 296-1653 (785) 296-1645



Kansas Department of Health and Environment Forbes Field, Bldg. 740, Topeka, Kansas 66620-0001

REPORT OF ANALYSIS

BUREAU OF ENVIRONMENTAL REMEDIATION

INORGANIC CHEMISTRY

Report To: Bureau of Env. Remediation Curtis SOB, Suite 410

ATTN: Rob Weber Topeka KS 66612 Lab Number: 400220PT

4EM80

Site ID:

Account Code: EZ

Collection Location: Rinsate Blank-1

Collector: Rob Weber
Date/Time Collected: 07/03/02 10:00

ter Collect Depth:
Date/Time Received: 07/03/02 15:48 Matrix: Water

Sample Comments:

Parameter	Analytical Result	Units	Analysis Date	Analytical Method
рн	6.00	pH unit	07/15/02	EPA 150.1

Reporting Analyst: REH Date Reported: 07/16/02

Copies To: File

< - Not Detected at Indicated Level

- Holding Time Exceeded